

India

**National Sample Survey Office, M/o Statistics and Programme
Implementation(MOSPI),Government of India (GOI)**

**Survey on Maternity,child care,Family planning and
Utilisation of PDS: NSS 42nd Round : July 1986-June 1987**

June 27, 2012

Metadata Production

Metadata Producer(s)	Computer Centre (MOSPI, CC) , M/O Statistics & Programme Implementation , Documentation of the study
Production Date	June 23, 2012
Version	Version 1.0 (June 2012)
Identification	DDI-IND-MOSPI-NSSO-42Rnd-Sch25dot1-1986-87

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview	1
Scope & Coverage	1
Producers & Sponsors	1
Sampling	1
Data Collection	2
Accessibility	2
Rights & Disclaimer	2
Files Description	4
Block1-Household-ID-records	4
Block31-Household-Characteristics-records	4
Block32_commodity-purchased-records	4
Block5-demographic-particulars-persons-records	4
Block51-Immunisation-persons-records	5
Block52-Anti-tetanus-injection-details-women-records	5
Block6-Healthcare-morbidity-children-records	5
Block7-Pre-post-natal-maternity-mother-records	6
Block8-Family-planning-services-received-by-couple-records	6
Block9-Death-persons-records	6
Variables List	7
Block1-Household-ID-records	7
Block31-Household-Characteristics-records	8
Block32_commodity-purchased-records	9
Block5-demographic-particulars-persons-records	10
Block51-Immunisation-persons-records	12
Block52-Anti-tetanus-injection-details-women-records	13
Block6-Healthcare-morbidity-children-records	14
Block7-Pre-post-natal-maternity-mother-records	16
Block8-Family-planning-services-received-by-couple-records	17
Block9-Death-persons-records	19
Variables Description	21
Block1-Household-ID-records	21
Block31-Household-Characteristics-records	29
Block32_commodity-purchased-records	37
Block5-demographic-particulars-persons-records	45
Block51-Immunisation-persons-records	55
Block52-Anti-tetanus-injection-details-women-records	63
Block6-Healthcare-morbidity-children-records	70
Block7-Pre-post-natal-maternity-mother-records	81
Block8-Family-planning-services-received-by-couple-records	92
Block9-Death-persons-records	103
Documentation	113

India ()

Survey on Maternity,child care,Family planning and Utilisation of PDS: NSS 42nd Round : July 1986-June 1987

Overview	
Type	Socio-Economic/Household Survey
Identification	DDI-IND-MOSPI-NSSO-42Rnd-Sch25dot1-1986-87
Version	Production Date: 2012-06-23 V1.0; Re-organised anonymised dataset for public distribution.
<p>Abstract</p> <p>The 42nd round was devoted mainly to an enquiry on 'Social consumption. The object was to make an assessment of the benefits derived by various sections of the society from public expenditure incurred by the Government,particularly in the area of education, public distribution and health care. With this view, an integrated survey on maternity and child care,Family planning,utilization of public distribution of system. Education and utilisation of medical services was conducted during July 1986-June 1987.</p> <p>In the absence of an electronic copy of 'manual of instructions to the filed staff', more details could not be furnished.</p>	
Kind of Data	Sample survey data [ssd]
Unit of Analysis	Randomly selectedhousehold and its memebbers

Scope & Coverage

Scope

In the absence of an electronic/hard copy of the manual of instructions to the filed staff more details could not be provided

Producers & Sponsors

Primary Investigator(s)	National Sample Survey Office, M/o Statistcs and Programme Implementation(MOSPI),Government of India (GOI)
Other Producer(s)	Survey Design Rearch Division (SDRD) , National Sample Survey Office , Questionnaire Desgn, Sampling methodology,Survey Reports Field Operations Division (FOD) , National Sample Survey Office , Field Work Data Processing Division (DPD) , National Sample Survey Office , Data Processing Computer Centre (CC,MOSPI) , M/o Statistcs and Programme Implementation(MOSPI),Government of India (GOI) , Data processing & Dissemination
Funding Agency/ies	M/o Statistics & Programme Implementation, GOI (MOSPI)
Other Acknowledgment(s)	Governing council and Working Group , Finalisation of survey study and Questionnaire , GOI

Sampling

Sampling Procedure

In the absence of an electronic/hard copy of the 'Sampling design and estimation procedure' details could not be provided

Deviations from Sample Design

There was no deviation from the original sample deviation.

Weighting

Sample weights were calculated and included in each of the data files

Variable 'Wgt_SS' refers to Multiplier for each Subsample.

Variable 'Wgt_Combined' refers to Combined Multiplier.

Data Collection**Data Collection Mode**

Face-to-face [f2f]

Questionnaires

The schedule consists of 13 blocks as follows:-

Block-1: Identification of sample household

Block-2: Particulars of field work.

Block-3.1: Household characteristics.

Block-3.2: Quantity and value of purchase of selected commodities during last 30 days ended on ____.

Block 4.1: Remarks by Investigator.

Block-4.2: Remarks by Supervisory officer.

Block-5: Demographic particulars and health care

Block-5.1: Particulars of immunisation against certain diseases for persons below 16 years

Block-5.2: Anti-tetanus injection before child birth.

Block-6: Particulars of health care and morbidity relating to children of age 0-4 years.

Block-7: Particulars of pre-natal, maternity, and post natal care of mothers corresponding to children with reported age '0' in block-5

Block-8: Particulars of family planning services received

Block-9: Death during last 365 days.

A copy of the schedule is attached as external resource.

Data Collector(s)

Field Operations Division of National Sample Survey Office (NSSO(FOD)) , Ministry of Statistics and Programme Implementation

Accessibility**Access Authority**

Computer Centre (M/O Statistics and Programme Implementation) , http://mospi.nic.in/Mospi_New/site/home.aspx , nssodata@gmail.com

Contact(s)

ADG, SDRD , NSSO (M/O Statistics & PI, G/O India) , <http://mospi.gov.in/>
DDG, Computer Centre (Ministry of Statistics and Programme Implementation) , http://mospi.nic.in/Mospi_New/site/home.aspx

Access Conditions

Validated unit level data relating to various survey rounds are available on CD-ROMS which can be obtained from the Deputy Director General, Computer Centre, M/O Statistics and PI, East Block No. 10 R.K. Puram, New Delhi-110066 by remitting the price along with packaging and postal charges as well as giving an undertaking duly signed in a specified format. The amount is to be remitted by way of demand draft drawn in favour of Pay & Accounts Officer, Ministry of Statistics & Programme Implementation, payable at New Delhi.

Rights & Disclaimer**Disclaimer**

The user of the data acknowledges that the original collector of the data, the authorized distributor of the data, and the relevant funding agency bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Files Description

Dataset contains 10 file(s)

Block1-Household-ID-records	
# Cases	73563
# Variable(s)	36
File Structure	Type: relational Key(s): Key_hhold (Key to locate Household)
File Content Identification particulars of sample household	
Producer NSSO	

Block31-Household-Characteristics-records	
# Cases	73563
# Variable(s)	43
File Structure	Type: relational Key(s): key_hhold (Key to locate Household)
File Content Block 3.1 :Household Characteristics such as size,land possed,Industry-occupation,social group,average monthly consumer expenditure,drinking water source etc.	
Producer NSSO	

Block32_commodity-purchased-records	
# Cases	808001
# Variable(s)	33
File Structure	Type: relational Key(s): Key_comodty (Key to identify commodity) , Key_hhold (Key to locate Hhold)
File Content Block 3.2:Quantity and value of certain commodity purchased during last 30 days fom PDS and other sources	
Producer NSSO	

Block5-demographic-particulars-persons-records	
# Cases	385495
# Variable(s)	39
File Structure	Type: relational Key(s): Key_Prsn (Key to locate person) , Key_Hhold (Key to locate Household)
File Content	

Demographic particulars of members of the selected household such as relationship, sex, age, marital status, level of education and also health services received last year.

Producer

NSSO

Notes

Please note that the Base key field contains duplicates

Block51-Immunisation-persons-records

# Cases	152337
# Variable(s)	38
File Structure	Type: relational Key(s): Key_Prsn (Key to locate a person) , Key_hhold (Key to locate a household)

File Structure**File Content**

Block 5.1: Particulars of immunisation against certain diseases in respect of persons below 16 years of age

Producer

NSSO

Notes

Please note that the Base key field contains duplicates

Block52-Anti-tetanus-injection-details-women-records

# Cases	70858
# Variable(s)	29
File Structure	Type: relational Key(s): Key_women (Key to locate person) , Key_hhold (Key to locate household)

File Structure**File Content**

Block 5.2: Particulars of anti-tetanus injection taken before child birth by ever married women below 50 years

Producer

NSSO

Notes

Please note that the Base key field contains duplicates

Block6-Healthcare-morbidity-children-records

# Cases	44084
# Variable(s)	47
File Structure	Type: relational Key(s): Key_child (Key to locate a person) , Key_hhold (Key to locate a household)

File Structure**File Content**

Particulars of health care and morbidity relating to children of age 0-4 years.

Producer

NSSO

Notes

Please note that the Base key field contains duplicates

Block7-Pre-post-natal-maternity-mother-records	
# Cases	7763
# Variable(s)	47
File Structure	Type: relational Key(s): Key_infant (Key to locate person) , Key_hhold (Key to locate household)
File Content Particulars of pre-natal,maternity and post natal care of mothers corresponding to children with reported age zero.	
Notes Please note that the Base key field contains duplicates	

Block8-Family-planning-services-received-by-couple-records	
# Cases	68693
# Variable(s)	47
File Structure	Type: relational Key(s): KEY_Person (Key to locate person (couple)) , KEY_hhold (Key to locate household)
File Content Particulars of family planning services received by couples in the selected household	
Producer NSSO	
Notes Please note that the Base key field contains duplicates	

Block9-Death-persons-records	
# Cases	2306
# Variable(s)	36
File Structure	Type: relational Key(s): Key_deathNo (Key to locate person) , Key_hhold (Key to locate household)
File Content Particulars of death during last 365 days and details of hospitalisation, tratment received, system of medicine etc.	
Producer NSSO	
Notes Please note that the Base key field contains duplicates	

Variables List

Dataset contains 395 variable(s)

File Block1-Household-ID-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_hhold	Key to locate Household	discrete	character-8	73563	0	-
2	Rec_Id	Record type (Level No.)	discrete	character-2	73563	0	-
3	Round	Round No.	discrete	character-2	73562	0	-
4	Schedule	Schedule no.	discrete	character-3	73562	0	-
5	Sample	Sample	discrete	character-1	73563	0	-
6	Sector	Sector	discrete	character-1	73563	0	-
7	Sub_sample	Sub-sample	discrete	character-1	73563	0	-
8	Sub_round	Sub-round	discrete	character-1	73563	0	-
9	State	State	discrete	character-2	73563	0	-
10	Region	Region	discrete	character-1	73563	0	-
11	District	District code	discrete	character-2	73519	0	-
12	B1_q5	Sample Village/Block	discrete	character-3	73563	0	-
13	Stratum	Stratum	discrete	character-2	73563	0	-
14	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	73563	0	-
15	B1_q8	Sample Household	discrete	character-1	73563	0	-
16	B1_q18	Informant code	discrete	character-1	73440	0	-
17	B1_q19	Survey code	discrete	character-1	73420	0	-
18	B1_q20	Reason for casualty	discrete	character-1	833	0	-
19	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	73563	0	-
20	Wgt_combined	Multiplier (Combined)	continuous	numeric-9.2	73563	0	-
21	tval_Size_cls_tw	Terminal Values:Size class of town (Combined)	continuous	numeric-7.2	73562	1	-
22	Tval_Size_cls_t	Terminal Values:Size class (Sub-sample)	continuous	numeric-7.2	73562	1	-
23	Tval_AI_SS	Terminal Values:All-India (Sub-sample)	continuous	numeric-7.2	73562	1	-
24	Tval_St_SS	Terminal Values:State (Sub-sample)	continuous	numeric-7.2	73562	1	-
25	Tval_AI_Comb	Terminal Values:All-India (Combined)	continuous	numeric-7.2	73562	1	-
26	Tval_St_comb	Terminal Values:State (Combined)	continuous	numeric-7.2	73562	1	-
27	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	73563	0	-
28	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	73563	0	-
29	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	73563	0	-
30	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	73563	0	-

File Block1-Household-ID-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
31	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	73563	0	-
32	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	73563	0	-
33	Sizeclass_twn	Size class of town	discrete	character-1	25736	0	-
34	S_grup	Social Group(from block 3.1,Q.5)	discrete	character-1	73563	0	-
35	E_grup	Economic Group	discrete	character-2	73563	0	-
36	Adult_edu_fem	Adult education for female	discrete	character-1	73563	0	-

File Block31-Household-Characteristics-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	key_hhold	Key to locate Household	discrete	character-8	73563	0	-
2	Rec_id	Record type	discrete	character-2	73563	0	-
3	Sample	Sample	discrete	character-1	73563	0	-
4	Sector	Sector	discrete	character-1	73563	0	-
5	Sub_sample	Sub-sample	discrete	character-1	73563	0	-
6	Sub_round	Sub-round	discrete	character-1	73563	0	-
7	State	State	discrete	character-2	73563	0	-
8	Region	Region	discrete	character-1	73563	0	-
9	B1_q5	Sample village/block	discrete	character-3	73563	0	-
10	Stratum	Stratum	discrete	character-2	73563	0	-
11	FSU_B1_q1	Serial no. of Village/block 1	discrete	character-5	73563	0	-
12	B1_q8	Sample Household	discrete	character-1	73563	0	-
13	B31_q1	Household size (total)	continuous	numeric-2.0	73563	0	-
14	B31_q1a	Adult male	continuous	numeric-2.0	73563	0	-
15	B31_q1b	Adult female	continuous	numeric-2.0	73563	0	-
16	B31_q1c	Child male	continuous	numeric-2.0	73563	0	-
17	B31_q1d	Child female	continuous	numeric-2.0	73563	0	-
18	B31_q2	Household land possessed	continuous	numeric-8.2	73529	34	Household land possessed(hectares0.00)
19	B31_q3	Household industry occupation code	discrete	character-6	70756	0	-
20	B31_q4	Household employment status (Code)	discrete	character-1	73563	0	-
21	B31_q5	Social group	discrete	character-1	73563	0	-
22	B31_q6a	Consumer exp.out of home stock (Rs)	continuous	numeric-6.0	33589	39974	Household average monthly consumer expenditure: out of home grown/produced stock(Rs)
23	B31_q6b	Consumer exp.Total (Rs)	continuous	numeric-6.0	73547	16	-
24	B31_q6c	Per capita Consumer exp. (Rs.0.00)	continuous	numeric-9.2	73563	0	-

File Block31-Household-Characteristics-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
25	B31_q7a	Drinking water Major source	discrete	character-1	73563	0	-
26	B31_q7b	Drinking water whether perennial	discrete	character-1	73563	0	Drinking water
27	B31_q7c	Drinking water Constructed by	discrete	character-1	73563	0	-
28	B31_q8	Whether dwelling electrified	discrete	character-1	73563	0	-
29	B31_q9	Premises sprayed with any disinfectant during last year	discrete	character-1	73563	0	-
30	B31_q10	No. of times disinfectant sprayed	continuous	numeric-2.0	73563	0	-
31	B31_q11	No. of eligible couples	continuous	numeric-2.0	73563	0	-
32	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	73563	0	-
33	Wgt_combined	Multiplier (Combined)	continuous	numeric-9.2	73563	0	-
34	Tval_AI_Comb	Terminal Values:All-India (Combined)	continuous	numeric-7.2	73563	0	-
35	tval_St_comb	Terminal Values:State (Combined)	continuous	numeric-7.2	73563	0	-
36	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	73563	0	-
37	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	73563	0	-
38	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	73563	0	-
39	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	73563	0	-
40	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	73563	0	-
41	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	73563	0	-
42	Sizeclass_twn	Size class of town	discrete	character-1	25736	0	-
43	S_grup	Social group code	discrete	character-1	73563	0	-

File Block32_commodity-purchased-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_comodty	Key to identify commodity	discrete	character-10	808001	0	-
2	Key_hhold	Key to locate Hhold	discrete	character-8	808001	0	-
3	Rec_Id	Record type	discrete	character-2	808001	0	-
4	Sample	Sample	discrete	character-1	808001	0	-
5	Sector	Sector	discrete	character-1	808001	0	-
6	Sub_sample	Sub-sample	discrete	character-1	808001	0	-
7	Sub_round	Sub-round	discrete	character-1	808001	0	-
8	State	State	discrete	character-2	808001	0	-

File Block32_commodity-purchased-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
9	Region	Region	discrete	character-1	808001	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	808001	0	-
11	Stratum	Stratum	discrete	character-2	808001	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	808001	0	-
13	B1_q8	Sample Household	discrete	character-2	808001	0	-
14	B32_q1	Serial No. of item	discrete	character-2	808001	0	-
15	B32_q3	Purchase code	discrete	character-1	808001	0	-
16	B32_q5	Type of shop	discrete	character-1	268958	0	Purchase from public distribution system: Type of shop(code)
17	B32_q6	Quantity (0.00)	continuous	numeric-8.2	808001	0	Purchase from public distribution system: Quantity(0.00)
18	B32_q7	Value (0.00)	continuous	numeric-9.2	808001	0	Purchase from public distribution system: Value Rs(0.00)
19	B32_q8	Quantity (0.00)	continuous	numeric-8.2	808001	0	Purchase from Other sources:Quantity(0.00)
20	B32_q9	Value (0.00)	continuous	numeric-8.2	808001	0	Purchase from Other sources:ValueRs(0.00)
21	B32_q10	Reason code	discrete	character-1	808001	0	If code2,3 or 4 in q3 reason (code)
22	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	808001	0	-
23	Wgt_combined	Multiplier (Combined)	continuous	numeric-9.2	808001	0	-
24	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	808001	0	-
25	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	808001	0	-
26	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	808001	0	-
27	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	808001	0	-
28	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	808001	0	-
29	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	808001	0	-
30	Sizeclass_twn	Size class of town	discrete	character-1	282765	0	-
31	S_grup	Social Group	discrete	character-1	808001	0	-
32	E_grup	Economic Group	discrete	character-2	808001	0	-
33	Adult_edu_fem	Adult education for female	discrete	character-1	808001	0	-

File Block5-demographic-particulars-persons-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_Prsn	Key to locate person	discrete	character-10	385495	0	-
2	Key_Hhold	Key to locate Household	discrete	character-8	385495	0	-
3	Rec_Id	Record type	discrete	character-2	385495	0	-
4	Sample	Sample	discrete	character-1	385495	0	-

File Block5-demographic-particulars-persons-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
5	Sector	Sector	discrete	character-1	385495	0	-
6	Sub_sample	Sub-sample	discrete	character-1	385495	0	-
7	Sub_round	Sub-round	discrete	character-1	385495	0	-
8	State	State	discrete	character-2	385495	0	-
9	Region	Region	discrete	character-1	385495	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	385495	0	-
11	Stratum	Stratum	discrete	character-2	385495	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	385495	0	-
13	B1_q8	Sample Household	discrete	character-1	385495	0	-
14	B5_q1	Serial no. of person	discrete	character-2	385495	0	-
15	B5_q3	Relation to head	discrete	character-1	385478	0	-
16	B5_q4	Sex	discrete	character-1	385495	0	-
17	B5_q5	Age (Years)	continuous	numeric-2.0	385495	0	-
18	B5_q6	Marital status	discrete	character-1	385495	0	-
19	B5_q7	Education	discrete	character-1	383224	0	Highest level of education attained(code)
20	B5_q8	Polio	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
21	B5_q9	Measles	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
22	B5_q10	D.P.T	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
23	B5_q11	B.C.G	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
24	B5_q12	Typhoid	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
25	B5_q13	Cholera	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
26	B5_q14	Tetanus	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
27	B5_q15	Rabies	discrete	character-1	385495	0	Health services received last year: Inoculation/immunisation/prophylaxis
28	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	385495	0	-
29	Wgt_combined	Multiplier (Combined)	continuous	numeric-9.2	385495	0	-
30	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	385495	0	-
31	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	385495	0	-
32	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	385495	0	-
33	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	385495	0	-
34	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	385495	0	-

File Block5-demographic-particulars-persons-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
35	FG_sizeclass_s	Fractile Groups:Size class (Sub-sample)	discrete	character-2	385495	0	-
36	Sizeclass_twn	Size class of town	discrete	character-1	129296	0	-
37	S_grup	Social Group	discrete	character-1	385495	0	-
38	E_grup	Economic Group	discrete	character-2	385495	0	-
39	Adult_edu_fem	Adult education for female	discrete	character-1	385495	0	-

File Block51-Immunisation-persons-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_Prsn	Key to locate a person	discrete	character-10	152337	0	-
2	Key_hhold	Key to locate a household	discrete	character-8	152337	0	-
3	Rec_Id	Record type	discrete	character-2	152337	0	-
4	Sample	Sample	discrete	character-1	152337	0	-
5	Sector	Sector	discrete	character-1	152337	0	-
6	Sub_sample	Sub-sample	discrete	character-1	152337	0	-
7	Sub_round	Sub-round	discrete	character-1	152337	0	-
8	State	State	discrete	character-2	152337	0	-
9	Region	Region	discrete	character-1	152337	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	152337	0	-
11	Stratum	Stratum	discrete	character-2	152337	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	152337	0	-
13	B1_q8	Sample Household	discrete	character-1	152337	0	-
14	B51_q1	Serial No. of child	discrete	character-2	152337	0	-
15	B51_q2	Polio Vaccine taken	discrete	character-1	152337	0	-
16	B51_q3	Polio Booster dose taken	discrete	character-1	152337	0	-
17	B51_q4	No. of times taken	continuous	numeric-2.0	152337	0	-
18	B51_q5	Age at which taken last (months)	continuous	numeric-3.0	152337	0	-
19	B51_q6	Triple-antigen Vaccine taken	discrete	character-1	152337	0	-
20	B51_q7	Triple-antigen Booster dose taken	discrete	character-1	152337	0	-
21	B51_q8	No. of times taken	continuous	numeric-2.0	152337	0	-
22	B51_q9	Age at which taken last (months)	continuous	numeric-3.0	152337	0	-
23	B51_q10	Typhoid Vaccine taken	discrete	character-1	152337	0	-
24	B51_q11	Typhoid Booster dose taken	discrete	character-1	152337	0	-
25	B51_q12	No. of times taken	continuous	numeric-2.0	152337	0	-
26	B51_q13	Age at which taken last (months)	continuous	numeric-2.0	152337	0	-
27	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	152337	0	-

File Block51-Immunisation-persons-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	Wgt_combined	Multiplier (Combined)	continuous	numeric-8.2	152337	0	-
29	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	152337	0	-
30	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	152337	0	-
31	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	152337	0	-
32	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	152337	0	-
33	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	152337	0	-
34	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	152337	0	-
35	Sizeclass_twn	Size class of town	discrete	character-1	47652	0	-
36	S_grup	Social Group	discrete	character-1	152337	0	-
37	E_grup	Economic Group	discrete	character-2	152337	0	-
38	Adult_edu_fem	Adult education for female	discrete	character-1	152337	0	-

File Block52-Anti-tetanus-injection-details-women-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_women	Key to locate person	discrete	character-10	70858	0	-
2	Key_hhold	Key to locate household	discrete	character-8	70858	0	-
3	Rec_id	Record type	discrete	character-2	70858	0	-
4	Sample	Sample	discrete	character-1	70858	0	-
5	Sector	Sector	discrete	character-1	70858	0	-
6	Sub_sample	Sub-sample	discrete	character-1	70858	0	-
7	Sub_round	Sub-round	discrete	character-1	70858	0	-
8	State	State	discrete	character-2	70858	0	-
9	Region	Region	discrete	character-1	70858	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	70858	0	-
11	Stratum	Stratum	discrete	character-2	70858	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	70858	0	-
13	B1_q8	Sample Household	discrete	character-1	70858	0	-
14	B52_q1	Serial No	discrete	character-2	70858	0	Serial number of ever married women below 50 years
15	B52_q2	Last child born alive	discrete	character-1	70858	0	-
16	B52_q3	Whether anti-tetanus injection taken before the child birth	discrete	character-1	18464	0	-
17	B52_q4	No. of times taken	continuous	numeric-2.0	70858	0	-
18	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	70858	0	-
19	Wgt_combined	Multiplier (Combined)	continuous	numeric-8.2	70858	0	-

File Block52-Anti-tetanus-injection-details-women-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	70858	0	-
21	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	70858	0	-
22	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	70858	0	-
23	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	70858	0	-
24	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	70858	0	-
25	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	70858	0	-
26	Sizeclass_twn	Size class of town	discrete	character-1	22737	0	-
27	S_grup	Social Group	discrete	character-1	70858	0	-
28	E_grup	Economic Group	discrete	character-2	70858	0	-
29	Adult_edu_fem	Adult education for female	discrete	character-1	70858	0	-

File Block6-Healthcare-morbidity-children-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_child	Key to locate a person	discrete	character-10	44084	0	-
2	Key_hhold	Key to locate a household	discrete	character-8	44084	0	-
3	Rec_id	Record type	discrete	character-2	44084	0	-
4	Sample	Sample	discrete	character-1	44084	0	-
5	Sector	Sector	discrete	character-1	44084	0	-
6	Sub_sample	Sub-sample	discrete	character-1	44084	0	-
7	Sub_round	Sub-round	discrete	character-1	44084	0	-
8	State	State	discrete	character-2	44084	0	-
9	Region	Region	discrete	character-1	44084	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	44084	0	-
11	Stratum	Stratum	discrete	character-2	44084	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	44084	0	-
13	B1_q8	Sample Household	discrete	character-1	44084	0	-
14	B6_q1	Serial no	discrete	character-2	44084	0	Serial no of child having age 0-4 years (from Block-5)
15	B6_q2	Sex	discrete	character-1	44084	0	-
16	B6_q3	Age (years)	continuous	numeric-2.0	44084	0	-
17	B6_q4	Age in weeks (If age 0)	continuous	numeric-1.0	44084	0	-
18	B6_q5	Child registered paediatric care?	discrete	character-1	44084	0	Whether the child was registered for paediatric care
19	B6_q6	Type of hospital/doctor	discrete	character-1	44084	0	If code 1 or 2 in Q.5 type of hospital/doctor(code)

File Block6-Healthcare-morbidity-children-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	B6_q7	No. of times child was taken	continuous	numeric-3.0	2798	41286	If code 1-3 in Q.5 and the child is of age 0 years, no of times it was taken for paediatric care.
21	B6_q8	Supplementaryfood received?	discrete	character-1	44084	0	Supplementaryfood whether received during last 365 days?
22	B6_q9	Type of feeding centre	discrete	character-1	44084	0	Supplementaryfood : If code 1 in Q.8, type of feeding centre
23	B6_q10	Received during last 30 days	discrete	character-1	44084	0	Supplementaryfood whether received during last 30 days
24	B6_q11	No. of days received	continuous	numeric-2.0	44084	0	Supplementaryfood : If code-1 in Q.10 no. of days received
25	B6_q12	Type of food received	discrete	character-1	2370	0	Supplementaryfood : Type of food received
26	B6_q13	Child hospitalised?	discrete	character-1	44084	0	Whether child was hospital on account of any ailment/injury during last 365 days?
27	B6_q14	Type of ailmentt	discrete	character-2	38843	0	If code-1 in Q.13, Type of ailment
28	B6_q15	Type of hospital	discrete	character-1	2022	0	If code-1 in Q.13, Type of hospital
29	B6_q16	System of medicinee	discrete	character-1	2037	0	If code-1 in Q.13, Type of medicine
30	B6_q17	Not hospitalised for disease?	discrete	character-1	44084	0	Whether the child suffered from any disease/injury,not hospitalised during last 30 days
31	B6_q18	Type of ailment	discrete	character-2	39295	0	If code-1 in Q.17, Type of ailment
32	B6_q19	Whether treated	discrete	character-1	44084	0	If code-1 in Q.17,Whether treated
33	B6_q20	Source of treatment	discrete	character-1	5613	0	If code-1 in Q.17,Source of treatment
34	B6_q21	System of medicine	discrete	character-1	5607	0	If code-1 in Q.17,System of medicine
35	B6_q22	Reason for no-treatment	discrete	character-1	1983	0	If code-2 in Q.19 reason for no treatment.
36	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	44084	0	-
37	Wgt_combined	Multiplier (Combined)	continuous	numeric-8.2	44084	0	-
38	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	44084	0	-
39	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	44084	0	-
40	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	44084	0	-
41	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	44084	0	-
42	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	44084	0	-
43	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	44084	0	-
44	Sizeclass_twn	Size class of town	discrete	character-1	13286	0	-
45	S_grup	Social Group	discrete	character-1	44084	0	-
46	E_grup	Economic Group	discrete	character-2	44084	0	-
47	Adult_edu_fem	Adult education for female	discrete	character-1	44084	0	-

File Block7-Pre-post-natal-maternity-mother-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_infant	Key to locate person	discrete	character-10	7763	0	-
2	Key_hhold	Key to locate household	discrete	character-8	7763	0	-
3	Rec_id	Record type	discrete	character-2	7763	0	-
4	Sample	Sample	discrete	character-1	7763	0	-
5	Sector	Sector	discrete	character-1	7763	0	-
6	Sub_sample	Sub-sample	discrete	character-1	7763	0	-
7	Sub_round	Sub-round	discrete	character-1	7763	0	-
8	State	State	discrete	character-2	7763	0	-
9	Region	Region	discrete	character-1	7763	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	7763	0	-
11	Stratum	Stratum	discrete	character-2	7763	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	7763	0	-
13	B1_q8	Sample Household	discrete	character-1	7763	0	-
14	B7_q1_srlno	Serial no. of infant(0 years as in Block-5)	discrete	character-2	7763	0	-
15	B7_q2	Sex	discrete	character-1	7763	0	-
16	B7_q3	Age (weeks)	continuous	numeric-2.0	7763	0	-
17	B7_q4	Order of birth	continuous	numeric-2.0	7763	0	-
18	B7_q5	Whether the mother was registered for pre-natal care	discrete	character-1	7763	0	-
19	B7_q6	Type of hospital/doctor1	discrete	character-2	7763	0	If CODE 1 OR 2 IN q.5-Type of hospital/doctor
20	B7_q7	No. of months before child birth	continuous	numeric-2.0	2254	5509	If CODE 1 -3 in Q.5-No. of months before child birth
21	B7_q8	No. of times attended for pre-natal care	continuous	numeric-5.0	998	6765	If CODE 1 -3 in Q.5-No. of months before child birth
22	B7_q9	Whether received any free food?	discrete	character-1	7763	0	-
23	B7_q10	Whether received any free medicine?	discrete	character-1	7763	0	-
24	B7_q11	Medical attendance at child birth	discrete	character-1	7763	0	-
25	B7_q12	Place of child birth	discrete	character-1	7763	0	-
26	B7_q13	Reason for not going to hospital	discrete	character-1	7763	0	If code 1 or 9 in Q.12,Reason for not going to hospital
27	B7_q14	Type of hospital	discrete	character-1	7763	0	If code-2 n Q.12,Type of hospital
28	B7_q15	Type of ward	discrete	character-1	2036	0	If code-2 n Q.12,Type of ward
29	B7_q16	Duration of mother's stay (days)	continuous	numeric-3.0	2031	5732	If code-2 n Q.12,Duration of mother's stay (days)
30	B7_q17	Whether the mother had to overstay	discrete	character-1	2116	0	Whether the mother had to stay in hospital for more than normal duration owing to post natal complications

File Block7-Pre-post-natal-maternity-mother-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
31	B7_q18	Mother was registered?	discrete	character-1	7763	0	Mother was registered for post-natal care
32	B7_q19	Type of hospital/doctor	discrete	character-1	7763	0	If code 1 or 2 in Q.18,Type of hospital/doctor
33	B7_q20	No. of times mother was attended to	continuous	numeric-3.0	1290	6473	If code 1 -3 in Q.18,no. of times mother was attended to.
34	B7_q21	Whether received any free food	discrete	character-1	7763	0	-
35	B7_q22	Whether received any free medicine	discrete	character-1	7763	0	-
36	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-8.2	7763	0	-
37	Wgt_combined	Multiplier (Combined)	continuous	numeric-8.2	7763	0	-
38	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	7763	0	-
39	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	7763	0	-
40	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	7763	0	-
41	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	7763	0	-
42	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	7763	0	-
43	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	7763	0	-
44	Sizeclass_twn	Size class of town	discrete	character-1	2395	0	-
45	S_grup	Social Group	discrete	character-1	7763	0	-
46	E_grup	Economic Group	discrete	character-2	7763	0	-
47	Adult_edu_fem	Adult education for female	discrete	character-1	7763	0	-

File Block8-Family-planning-services-received-by-couple-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	KEY_Person	Key to locate person (couple)	discrete	character-10	68693	0	-
2	KEY_hhold	Key to locate household	discrete	character-8	68693	0	-
3	Rec_Id	Record type	discrete	character-2	68693	0	-
4	Sample	Sample	discrete	character-1	68693	0	-
5	Sector	Sector	discrete	character-1	68693	0	-
6	Sub_sample	Sub-sample	discrete	character-1	68693	0	-
7	Sub_round	Sub-round	discrete	character-1	68693	0	-
8	State	State	discrete	character-2	68693	0	-
9	Region	Region	discrete	character-1	68693	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	68693	0	-
11	Stratum	Stratum	discrete	character-2	68693	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	68693	0	-

File Block8-Family-planning-services-received-by-couple-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
13	B1_q8	Sample Household	discrete	character-1	68693	0	-
14	B8_q2_srlno	S.No. as in block-5	discrete	character-2	68693	0	For female partner of age 15-49 years- S.No. as in block-5
15	B8_q3	Present age (Years)	continuous	numeric-2.0	68693	0	For female partner of age 15-49 years- present age
16	B8_q4	Age at effective marriage (years)	continuous	numeric-2.0	68489	204	For female partner of age 15-49 years- Age at effective marriage
17	B8_q5	Number of surviving Male	continuous	numeric-2.0	68693	0	-
18	B8_q6	Number of surviving Female	continuous	numeric-2.0	68693	0	-
19	B8_q7	No. of years since last live birth (Years)	continuous	numeric-2.0	58591	10102	-
20	B8_q8	Whether sterilised	discrete	character-1	68693	0	-
21	B8_q9	Since when sterilised(years)	discrete	numeric-1.0	15928	52765	If code 1-3 in Q.8 no. of years since sterilised(years)
22	B8_q10	Services received	discrete	character-1	68693	0	If code 0 in Q.9 services received
23	B8_q11	At the time of sterilisation, Male children(Surviving)	continuous	numeric-2.0	68693	0	-
24	B8_q12	At the time of sterilisation, Female children(Surviving)	continuous	numeric-2.0	68693	0	-
25	B8_q13	Composition code	discrete	character-1	68693	0	-
26	B8_q14	Services Recvd :IUD	discrete	character-1	65870	0	-
27	B8_q15	Services Recvd :Oral Pills	discrete	character-1	65872	0	-
28	B8_q16	Services Recvd :Nirodh	discrete	character-1	65874	0	-
29	B8_q17	Services Recvd :Diaphragm	discrete	character-1	65871	0	-
30	B8_q18	Services Recvd :Spermicide (Jelly etc.)	discrete	character-1	65870	0	-
31	B8_q19	Services Recvd :MTP	discrete	character-1	65872	0	-
32	B8_q20	Services Recvd :Injection	discrete	character-1	65874	0	-
33	B8_q21	Whether currently practicing	discrete	character-1	68232	0	-
34	B8_q22	If not practicing whether ever practised	discrete	character-1	59589	0	-
35	B8_q23	Whether received at any time advice on F.P.	discrete	character-1	66605	0	-
36	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	68693	0	-
37	Wgt_combined	Multiplier (Combined)	continuous	numeric-8.2	68693	0	-
38	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	68693	0	-
39	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	68693	0	-
40	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	68693	0	-

File Block8-Family-planning-services-received-by-couple-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
41	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	68693	0	-
42	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	68693	0	-
43	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	68693	0	-
44	Sizeclass_twn	Size class of town	discrete	character-1	22111	0	-
45	S_grup	Social Group	discrete	character-1	68693	0	-
46	E_grup	Economic Group	discrete	character-2	68693	0	-
47	Adult_edu_fem	Adult education for female	discrete	character-1	68693	0	-

File Block9-Death-persons-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	Key_deathNo	Key to locate person	discrete	character-10	2306	0	-
2	Key_hhold	Key to locate household	discrete	character-8	2306	0	-
3	Rec_id	Record type	discrete	character-2	2306	0	-
4	Sample	Sample	discrete	character-1	2306	0	-
5	Sector	Sector	discrete	character-1	2306	0	-
6	Sub_sample	Sub-sample	discrete	character-1	2306	0	-
7	Sub_round	Sub-round	discrete	character-1	2306	0	-
8	State	State	discrete	character-2	2306	0	-
9	Region	Region	discrete	character-1	2306	0	-
10	B1_q5	Sample Village/Block	discrete	character-3	2306	0	-
11	Stratum	Stratum	discrete	character-2	2306	0	-
12	FSU_B1_q1	Srl.No. of Village/Block	discrete	character-5	2306	0	-
13	B1_q8	Sample Household	discrete	character-1	2306	0	-
14	D_Sino	Serial no. of death	discrete	character-2	2306	0	-
15	B9_q2	Relation to head	discrete	character-1	2306	0	-
16	B9_q3	Sex	discrete	character-1	2306	0	-
17	B9_q4	Age at death (Years)	continuous	numeric-2.0	2298	8	-
18	B9_q5	Age if less than one year (Weeks)	continuous	numeric-2.0	495	1811	-
19	B9_q6	Whether hospitalised	discrete	character-1	2306	0	-
20	B9_q7	Treatment before death?	discrete	character-1	2306	0	-
21	B9_q8	Source of treatment	discrete	character-1	1497	0	-
22	B9_q9	System of medicine	discrete	character-1	1495	0	-
23	B9_q10	Not recvd treatment-reason	discrete	character-1	820	0	If code-2 in Q.7,reason (code)
24	B9_q11	Place of death	discrete	character-1	2306	0	-
25	Wgt_ss	Multiplier (Sub-sample)	continuous	numeric-9.2	2306	0	-
26	Wgt_combined	Multiplier (Combined)	continuous	numeric-8.2	2306	0	-

File Block9-Death-persons-records							
#	Name	Label	Type	Format	Valid	Invalid	Question
27	FG_AI_Comb	Fractile Groups:All-India (Combined)	discrete	character-2	2306	0	-
28	FG_AI_ss	Fractile Groups:All-India (Sub-sample)	discrete	character-2	2306	0	-
29	FG_st_Comb	Fractile Groups:State (Combined)	discrete	character-2	2306	0	-
30	FG_st_ss	Fractile Groups:State (Sub-sample)	discrete	character-2	2306	0	-
31	FG_sizeclass_tv	Fractile Groups:Size class of town	discrete	character-2	2306	0	-
32	FG_sizeclass_ss	Fractile Groups:Size class (Sub-sample)	discrete	character-2	2306	0	-
33	Sizeclass_twn	Size class of town	discrete	character-1	582	0	-
34	S_grup	Social Group	discrete	character-1	2306	0	-
35	E_grup	Economic Group	discrete	character-2	2306	0	-
36	Adult_edu_fem	Adult education for female	discrete	character-1	2306	0	-

Variables Description

Dataset contains 395 variable(s)

File Block1-Household-ID-records			
#1 Key_hhold: Key to locate Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Recoding and Derivation	Generated Key variable using Stratum,Sl.no.of village and sample household		
#2 Rec_Id: Record type (Level No.)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
01	Block-1 of schedule	73563	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#3 Round: Round No.			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
42	NSS 42 Round	73562	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#4 Schedule: Schedule no.			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
251	Schedule 25.1	73562	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#5 Sample: Sample			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Central sample	73563	100.0%
2	State sample	0	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#6 Sector: Sector			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Rural	47827	65.0%
2	Urban	25736	35.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#7 Sub_sample: Sub-sample			
Information	[Type= discrete] [Format=character] [Missing=*]		

File Block1-Household-ID-records**#7 Sub_sample: Sub-sample**

Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
1	Sub-sample-1	36721	49.9%
2	Sub-sample-2	36842	50.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 Sub_round: Sub-round

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
1	Sub-round-1	18271	24.8%
2	Sub-round-2	18433	25.1%
3	Sub-round-3	18412	25.0%
4	Sub-round-4	18447	25.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 State: State

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
---------------------------	---------------------------------

Frequency table not shown (31 Modalities)

#10 Region: Region

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
1	Region-1	25372	34.5%
2	Region-2	19991	27.2%
3	Region-3	14043	19.1%
4	Region-4	9714	13.2%
5	Region-5	3072	4.2%
6	Region-6	786	1.1%
7	Region-7	585	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 District: District code

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=73519 /-] [Invalid=0 /-]
---------------------------	---------------------------------

#12 B1_q5: Sample Village/Block

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
---------------------------	---------------------------------

#13 Stratum: Stratum

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
---------------------------	---------------------------------

File Block1-Household-ID-records			
#14 FSU_B1_q1: Srl.No. of Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
#15 B1_q8: Sample Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		12832	17.4%
2		12830	17.4%
3		12821	17.4%
4		12816	17.4%
5		11665	15.9%
6		10596	14.4%
7		2	0.0%
8		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#16 B1_q18: Informant code			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73440 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	NR	3	0.0%
1	Head of Household	51377	70.0%
2	Other member of Hhold	20736	28.2%
8	Invalid	10	0.0%
9	Others	1314	1.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#17 B1_q19: Survey code			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73420 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	NR	2	0.0%
1	Original hhold surveyed	72455	98.7%
2	Substitute hhold surveyed	946	1.3%
3	Causality`	2	0.0%
9	Invalid	15	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#18 B1_q20: Reason for casuality			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=833 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		5	0.6%
1	Informant busy	102	12.2%

File Block1-Household-ID-records			
#18 B1_q20: Reason for casualty			
Value	Label	Cases	Percentage
2	Members away from home	51	6.1%
3	Informant non co-operative	425	51.0%
8	Invalid	1	0.1%
9	Others	249	29.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#19 Wgt_ss: Multiplier (Sub-sample)			
Information	[Type= continuous] [Format=numeric] [Range= 17.68-406862.05] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=3876.377 /-] [StdDev=4505.646 /-]		
Recoding and Derivation	Weight variables to be used for estimation		
#20 Wgt_combined: Multiplier (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 8.84-203431.03] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=1938.482 /-] [StdDev=2253.233 /-]		
Recoding and Derivation	Weight variables to be used for estimation		
#21 tval_Size_cls_twn_comb: Terminal Values:Size class of town (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 0-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=1 /-] [Mean=128.216 /-] [StdDev=636.491 /-]		
Recoding and Derivation	Generated variables for tabulation purposes		
#22 Tval_Size_cls_twn_ss: Terminal Values:Size class (Sub-sample)			
Information	[Type= continuous] [Format=numeric] [Range= 0-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=1 /-] [Mean=123.953 /-] [StdDev=613.503 /-]		
Recoding and Derivation	Generated variables for tabulation purposes		
#23 Tval_AI_SS: Terminal Values:All-India (Sub-sample)			
Information	[Type= continuous] [Format=numeric] [Range= 0-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=1 /-] [Mean=31.538 /-] [StdDev=560.704 /-]		
Recoding and Derivation	Generated variables for tabulation purposes		
#24 Tval_St_SS: Terminal Values:State (Sub-sample)			
Information	[Type= continuous] [Format=numeric] [Range= 20-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=1 /-] [Mean=247.451 /-] [StdDev=748.224 /-]		
Recoding and Derivation	Generated variables for tabulation purposes		
#25 Tval_AI_Comb: Terminal Values:All-India (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 0-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=1 /-] [Mean=31.538 /-] [StdDev=560.704 /-]		
Recoding and Derivation	Generated variables for tabulation purposes		
#26 Tval_St_comb: Terminal Values:State (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 42.86-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73562 /-] [Invalid=1 /-] [Mean=262.683 /-] [StdDev=796.008 /-]		
Recoding and Derivation	Generated variables for tabulation purposes		

File Block1-Household-ID-records**#27 FG_AI_Comb: Fractile Groups:All-India (Combined)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]**Recoding and Derivation** Generated variables for tabulation purposes

Value	Label	Cases	Percentage
00		73331	99.7%
21		232	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#28 FG_AI_ss: Fractile Groups:All-India (Sub-sample)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]**Recoding and Derivation** Generated variables for tabulation purposes

Value	Label	Cases	Percentage
00		73331	99.7%
21		232	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#29 FG_st_Comb: Fractile Groups:State (Combined)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]**Recoding and Derivation** Generated variables for tabulation purposes

Value	Label	Cases	Percentage
01		3692	5.0%
02		3684	5.0%
03		3695	5.0%
04		3631	4.9%
05		3782	5.1%
06		3758	5.1%
07		3723	5.1%
08		3737	5.1%
09		3704	5.0%
10		3723	5.1%
11		3663	5.0%
12		3682	5.0%
13		3686	5.0%
14		3692	5.0%
15		3673	5.0%
16		3728	5.1%
17		3708	5.0%
18		3558	4.8%
19		3398	4.6%
20		3414	4.6%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block1-Household-ID-records

#30 FG_st_ss: Fractile Groups:State (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Recoding and Derivation Generated variables for tabulation purposes

Value	Label	Cases	Percentage
01		3712	5.0%
02		3715	5.1%
03		3666	5.0%
04		3660	5.0%
05		3723	5.1%
06		3809	5.2%
07		3734	5.1%
08		3715	5.1%
09		3698	5.0%
10		3736	5.1%
11		3669	5.0%
12		3613	4.9%
13		3751	5.1%
14		3701	5.0%
15		3658	5.0%
16		3689	5.0%
17		3664	5.0%
18		3459	4.7%
19		3558	4.8%
20		3401	4.6%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 FG_sizeclass_twn: Fractile Groups:Size class of town

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Recoding and Derivation Generated variables for tabulation purposes

Value	Label	Cases	Percentage
00		47679	64.8%
01		1162	1.6%
02		1193	1.6%
03		1225	1.7%
04		1196	1.6%
05		1261	1.7%
06		1300	1.8%
07		1316	1.8%
08		1282	1.7%
09		1342	1.8%
10		1312	1.8%
11		1269	1.7%

File Block1-Household-ID-records

#31 FG_sizeclass_twn: Fractile Groups:Size class of town

Value	Label	Cases	Percentage
12		1289	1.8%
13		1373	1.9%
14		1256	1.7%
15		1259	1.7%
16		1376	1.9%
17		1312	1.8%
18		1347	1.8%
19		1342	1.8%
20		1240	1.7%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
Recoding and Derivation	Generated variables for tabulation purposes

Value	Label	Cases	Percentage
00		47679	64.8%
01		1179	1.6%
02		1190	1.6%
03		1181	1.6%
04		1272	1.7%
05		1233	1.7%
06		1287	1.7%
07		1283	1.7%
08		1351	1.8%
09		1333	1.8%
10		1279	1.7%
11		1328	1.8%
12		1303	1.8%
13		1278	1.7%
14		1257	1.7%
15		1336	1.8%
16		1300	1.8%
17		1289	1.8%
18		1346	1.8%
19		1309	1.8%
20		1318	1.8%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=25736 /-] [Invalid=0 /-]

File Block1-Household-ID-records**#33 Sizeclass_twn: Size class of town****Recoding and Derivation** Generated variables for tabulation purposes

Value	Label	Cases	Percentage
1	All towns with population less than 1 lakh	9448	36.7%
2	all towns with population 1 lakh or more but less than 5 lakhs.	6286	24.4%
3	All towns with population 5 lakhs or more but less than 10 lakhs.	5839	22.7%
4	Each city with population 10 lakhs or more.	4163	16.2%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#34 S_grup: Social Group(from block 3.1,Q.5)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Scheduled tribe	7893	10.7%
2	Scheduled caste	11364	15.4%
3	Other backward class	272	0.4%
8	Invalid	293	0.4%
9	Others	53741	73.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#35 E_grup: Economic Group****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
01		9332	12.7%
02		7909	10.8%
03		11669	15.9%
04		3279	4.5%
05		15145	20.6%
06		3516	4.8%
07		7989	10.9%
08		5112	6.9%
09		4964	6.7%
10		577	0.8%
11		4071	5.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#36 Adult_edu_fem: Adult education for female****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		39180	53.3%
2		4290	5.8%
3		16070	21.8%
4		8862	12.0%

File Block1-Household-ID-records			
#36 Adult_edu_fem: Adult education for female			
Value	Label	Cases	Percentage
5		4659	6.3%
6		502	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
File Block31-Household-Characteristics-records			
#1 key_hhold: Key to locate Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Recoding and Derivation	As in Block1 data set		
#2 Rec_Id: Record type			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
31	Block -3.1 of schedule	73563	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#3 Sample: Sample			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Central sample	73563	100.0%
2	State sample	0	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#4 Sector: Sector			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Rural	47827	65.0%
2	Urban	25736	35.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#5 Sub_sample: Sub-sample			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sub-sample-1	36721	49.9%
2	Sub-sample-2	36842	50.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#6 Sub_round: Sub-round			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		

File Block31-Household-Characteristics-records

#6 Sub_round: Sub-round

Value	Label	Cases	Percentage
1	Sub-round-1	18271	24.8%
2	Sub-round-2	18433	25.1%
3	Sub-round-3	18412	25.0%
4	Sub-round-4	18447	25.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 State: State

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

#8 Region: Region

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Region-1	25372	34.5%
2	Region-2	19991	27.2%
3	Region-3	14043	19.1%
4	Region-4	9714	13.2%
5	Region-5	3072	4.2%
6	Region-6	786	1.1%
7	Region-7	585	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 B1_q5: Sample village/block

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

#10 Stratum: Stratum

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

#11 FSU_B1_q1: Serial no. of Village/block 1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

#12 B1_q8: Sample Household

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

#13 B31_q1: Household size (total)

Information [Type= continuous] [Format=numeric] [Range= 1-52] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-] [Mean=5.24 /-] [StdDev=2.812 /-]

#14 B31_q1a: Adult male

Information [Type= continuous] [Format=numeric] [Range= 0-16] [Missing=*]

File Block31-Household-Characteristics-records

#14 B31_q1a: Adult male

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

#15 B31_q1b: Adult female

Information [Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-] [Mean=1.584 /-] [StdDev=1.005 /-]

#16 B31_q1c: Child male

Information [Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

#17 B31_q1d: Child female

Information [Type= continuous] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

#18 B31_q2: Household land possessed

Information [Type= continuous] [Format=numeric] [Range= 0-88888.88] [Missing=*]

Statistics [NW/ W] [Valid=73529 /-] [Invalid=34 /-] [Mean=3230.604 /-] [StdDev=16631.205 /-]

Literal question Household land possessed(hectares0.00)

#19 B31_q3: Household industry occupation code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70756 /-] [Invalid=0 /-]

Definition First 3 digits indicates industry code and next 3 digit occupation code
Code lists : NIC 1970 and NCO 1968

#20 B31_q4: Household employment status (Code)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Self-employed	36041	49.0%
2	salaried/wage paid employee	15872	21.6%
3	Casual wage labour	17747	24.1%
8	Invalid	237	0.3%
9	Others	3666	5.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 B31_q5: Social group

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Scheduled tribe	7893	10.7%
2	Scheduled caste	11364	15.4%
3	Neo-buddhist	272	0.4%
8	Invalid	293	0.4%
9	Others	53741	73.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block31-Household-Characteristics-records

#22 B31_q6a: Consumer exp.out of home stock (Rs)

Information [Type= continuous] [Format=numeric] [Range= 0-962560] [Missing=*]

Statistics [NW/ W] [Valid=33589 /-] [Invalid=39974 /-] [Mean=594.948 /-] [StdDev=11346.513 /-]

Literal question Household average monthly consumer expenditure: out of home grown/produced stock(Rs)

#23 B31_q6b: Consumer exp.Total (Rs)

Information [Type= continuous] [Format=numeric] [Range= 0-150000] [Missing=*]

Statistics [NW/ W] [Valid=73547 /-] [Invalid=16 /-] [Mean=716.869 /-] [StdDev=969.464 /-]

#24 B31_q6c: Per capita Consumer exp.(Rs.0.00)

Information [Type= continuous] [Format=numeric] [Range= 0.17-999999.99] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-] [Mean=3306.193 /-] [StdDev=56061.677 /-]

#25 B31_q7a: Drinking water Major source

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Tap	27912	37.9%
2	Tube-weli/hand pump	18843	25.6%
3	Pucca wcll	19303	26.2%
4	Tank/pond reserved for drinking-	1698	2.3%
5	River/canal/spring	4008	5.4%
6	Tankers	152	0.2%
8		349	0.5%
9	Others (spcclyf)	1298	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B31_q7b: Drinking water whether perennial

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Literal question Drinking water

Value	Label	Cases	Percentage
1	Yes	70069	95.3%
2	No	3295	4.5%
9	Invalid	199	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B31_q7c: Drinking water Constructed by

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Government	42859	58.3%
2	community	4696	6.4%
3	charitable institution	560	0.8%
4	others	0	0.0%
8		1087	1.5%

File Block31-Household-Characteristics-records			
#27 B31_q7c: Drinking water Constructed by			
Value	Label	Cases	Percentage
9		24361	33.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#28 B31_q8: Whether dwelling electrified			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	32799	44.6%
2	No	40535	55.1%
9	Invalid	229	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#29 B31_q9: Premises sprayed with any disinfectant during last year			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	23719	32.2%
2	No	49844	67.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#30 B31_q10: No. of times disinfectant sprayed			
Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=0.731 /-] [StdDev=2.842 /-]		
#31 B31_q11: No. of eligible couples			
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=0.945 /-] [StdDev=0.777 /-]		
#32 Wgt_ss: Multiplier (Sub-sample)			
Information	[Type= continuous] [Format=numeric] [Range= 17.68-406862.05] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=3876.354 /-] [StdDev=4505.649 /-]		
#33 Wgt_combined: Multiplier (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 8.84-203431.03] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=1938.471 /-] [StdDev=2253.234 /-]		
#34 Tval_AI_Comb: Terminal Values:All-India (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 0-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=31.538 /-] [StdDev=560.7 /-]		
Recoding and Derivation	Generated for tabulation purposes		
#35 tval_St_comb: Terminal Values:State (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 42.86-9999.99] [Missing=*]		
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-] [Mean=262.682 /-] [StdDev=796.003 /-]		
Recoding and Derivation	Generated for tabulation purposes		

File Block31-Household-Characteristics-records**#36 FG_AI_Comb: Fractile Groups:All-India (Combined)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]**Recoding and Derivation** Generated for tabulation purposes

Value	Label	Cases	Percentage
00		73331	99.7%
21		232	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#37 FG_AI_ss: Fractile Groups:All-India (Sub-sample)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]**Recoding and Derivation** Generated for tabulation purposes

Value	Label	Cases	Percentage
00		73331	99.7%
21		232	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#38 FG_st_Comb: Fractile Groups:State (Combined)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=73563 /-] [Invalid=0 /-]**Recoding and Derivation** Generated for tabulation purposes

Value	Label	Cases	Percentage
01		3692	5.0%
02		3684	5.0%
03		3694	5.0%
04		3631	4.9%
05		3782	5.1%
06		3758	5.1%
07		3723	5.1%
08		3737	5.1%
09		3705	5.0%
10		3723	5.1%
11		3663	5.0%
12		3682	5.0%
13		3686	5.0%
14		3692	5.0%
15		3673	5.0%
16		3728	5.1%
17		3708	5.0%
18		3558	4.8%
19		3398	4.6%
20		3414	4.6%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block31-Household-Characteristics-records

#39 FG_st_ss: Fractile Groups:State (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Recoding and Derivation Generated for tabulation purposes

Value	Label	Cases	Percentage
01		3712	5.0%
02		3715	5.1%
03		3665	5.0%
04		3660	5.0%
05		3723	5.1%
06		3809	5.2%
07		3734	5.1%
08		3715	5.1%
09		3699	5.0%
10		3736	5.1%
11		3669	5.0%
12		3613	4.9%
13		3751	5.1%
14		3701	5.0%
15		3658	5.0%
16		3689	5.0%
17		3664	5.0%
18		3459	4.7%
19		3558	4.8%
20		3401	4.6%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 FG_sizeclass_twn: Fractile Groups:Size class of town

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Recoding and Derivation Generated for tabulation purposes

Value	Label	Cases	Percentage
00		47679	64.8%
01		1162	1.6%
02		1193	1.6%
03		1225	1.7%
04		1196	1.6%
05		1260	1.7%
06		1300	1.8%
07		1316	1.8%
08		1282	1.7%
09		1342	1.8%
10		1312	1.8%
11		1269	1.7%

File Block31-Household-Characteristics-records

#40 FG_sizeclass_twn: Fractile Groups:Size class of town

Value	Label	Cases	Percentage
12		1290	1.8%
13		1373	1.9%
14		1256	1.7%
15		1259	1.7%
16		1376	1.9%
17		1312	1.8%
18		1347	1.8%
19		1342	1.8%
20		1240	1.7%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=73563 /-] [Invalid=0 /-]
Recoding and Derivation	Generated for tabulation purposes

Value	Label	Cases	Percentage
00		47679	64.8%
01		1179	1.6%
02		1190	1.6%
03		1181	1.6%
04		1271	1.7%
05		1233	1.7%
06		1287	1.7%
07		1283	1.7%
08		1351	1.8%
09		1333	1.8%
10		1279	1.7%
11		1328	1.8%
12		1304	1.8%
13		1278	1.7%
14		1257	1.7%
15		1336	1.8%
16		1300	1.8%
17		1289	1.8%
18		1346	1.8%
19		1309	1.8%
20		1318	1.8%
21		232	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=25736 /-] [Invalid=0 /-]

File Block31-Household-Characteristics-records

#42 Sizeclass_twn: Size class of town

Recoding and Derivation Generated for tabulation purposes

Value	Label	Cases	Percentage
1	All towns with population less than 1 lakh	9447	36.7%
2	all towns with population 1 lakh or more but less than 5 lakhs.	6287	24.4%
3	All towns with population 5 lakhs or more but less than 10 lakhs.	5839	22.7%
4	Each city with population 10 lakhs or more.	4163	16.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 S_grup: Social group code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=73563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Scheduled tribe	7893	10.7%
2	Scheduled caste	11364	15.4%
3	Other backward class	272	0.4%
8	Invalid	293	0.4%
9	Others	53741	73.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block32_commodity-purchased-records

#1 Key_comodty: Key to identify commodity

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=808001 /-] [Invalid=0 /-]

#2 Key_hhold: Key to locate Hhold

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=808001 /-] [Invalid=0 /-]

#3 Rec_Id: Record type

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=808001 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
32	Block -3.2 of schedule	808001	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sample: Sample

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=808001 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Central sample	808001	100.0%
2	State sample	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Sector: Sector

Information [Type= discrete] [Format=character] [Missing=*]

File Block32_commodity-purchased-records			
#5 Sector: Sector			
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Rural	525236	65.0%
2	Urban	282765	35.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#6 Sub_sample: Sub-sample			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Sub-sample-1	403295	49.9%
2	Sub-sample-2	404706	50.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#7 Sub_round: Sub-round			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Sub-round-1	200630	24.8%
2	Sub-round-2	202393	25.0%
3	Sub-round-3	202240	25.0%
4	Sub-round-4	202738	25.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#8 State: State			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]	
<i>Frequency table not shown (31 Modalities)</i>			
#9 Region: Region			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Region-1	278540	34.5%
2	Region-2	219458	27.2%
3	Region-3	154371	19.1%
4	Region-4	106792	13.2%
5	Region-5	33778	4.2%
6	Region-6	8630	1.1%
7	Region-7	6432	0.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#10 B1_q5: Sample Village/Block			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]	

File Block32_commodity-purchased-records				
#11 Stratum: Stratum				
Information		[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]		
#12 FSU_B1_q1: Srl.No. of Village/Block				
Information		[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]		
#13 B1_q8: Sample Household				
Information		[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]		
#14 B32_q1: Serial No. of item				
Information		[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage	
01	Rice(kg)	73528		9.1%
02	Wheat(kg)	73426		9.1%
03	Bajra(kg)	73405		9.1%
04	Jowar(kg)	73405		9.1%
05	Other cereals(kg)	73436		9.1%
06	Pulses(kg)	73514		9.1%
07	Edible oil & vanaspati(kg)	73531		9.1%
08	Sugar(kg)	73499		9.1%
09	Coal(kg)	73384		9.1%
10	Kerosiene(litre)	73517		9.1%
11	Standard cloth(metre)	73356		9.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
#15 B32_q3: Purchase code				
Information		[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]		[Valid=808001 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage	
1	Only from public distribution system	69542		8.6%
2	Only from other source	234850		29.1%
3	From both	49379		6.1%
4	Not purchased	454230		56.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
#16 B32_q5: Type of shop				
Information		[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]		[Valid=268958 /-] [Invalid=0 /-]		
Literal question		Purchase from public distribution system: Type of shope(code)		
Value	Label	Cases	Percentage	
0	NR	37		0.0%
1	Government	35961		13.4%
2	Employer's shop	2903		1.1%

File Block32_commodity-purchased-records

#16 B32_q5: Type of shop

Value	Label	Cases	Percentage
3	Co-operative	51586	19.2%
4	Private	171156	63.6%
8	Invalid	4770	1.8%
9	Others	2545	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 B32_q6: Quantity (0.00)

Information	[Type= continuous] [Format=numeric] [Range= 0-40021] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-] [Mean=1.106 /-] [StdDev=44.889 /-]
Literal question	Purchase from public distribution system: Quantity(0.00)

#18 B32_q7: Valuee (0.00)

Information	[Type= continuous] [Format=numeric] [Range= 0-210110.25] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-] [Mean=3.348 /-] [StdDev=234.218 /-]
Literal question	Purchase from public distribution system: Value Rs(0.00)

#19 B32_q8: Quantity (0.00)

Information	[Type= continuous] [Format=numeric] [Range= 0-50013] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-] [Mean=4.705 /-] [StdDev=65.822 /-]
Literal question	Purchase from Other sources:Quantity(0.00)

#20 B32_q9: Value (0.00)

Information	[Type= continuous] [Format=numeric] [Range= 0-80040] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-] [Mean=24.517 /-] [StdDev=175.31 /-]
Literal question	Purchase from Other sources:ValueRs(0.00)

#21 B32_q10: Reason code

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]
Literal question	If code2,3 or 4 in q3 reason (code)

Value	Label	Cases	Percentage
0	NR	87402	10.8%
1	Not entitled	10427	1.3%
2	Not having Ration/pcrmit.card	42551	5.3%
3	Item not required	332920	41.2%
4	Item not available In ration shop	201234	24.9%
5	Quantity not satisfactory	19726	2.4%
6	Not available in sufficient. quantity	45281	5.6%
7	Not available in sufficiently small quantity	2302	0.3%
8	credit purchase not possibl	5057	0.6%
9	others	61101	7.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 Wgt_ss: Multiplier (Sub-sample)

Information	[Type= continuous] [Format=numeric] [Range= 17.68-406862.05] [Missing=*]
-------------	--

File Block32_commodity-purchased-records			
#22 Wgt_ss: Multiplier (Sub-sample)			
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-] [Mean=3877.92 /-] [StdDev=4507.918 /-]		
Recoding and Derivation	See data set of Block-1		
#23 Wgt_combined: Multiplier (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 8.84-203431.03] [Missing=*]		
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-] [Mean=1939.257 /-] [StdDev=2254.371 /-]		
Recoding and Derivation	See data set of Block-1		
#24 FG_AI_Comb: Fractile Groups:All-India (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		805449	99.7%
21		2552	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#25 FG_AI_ss: Fractile Groups:All-India (Sub-sample)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		805449	99.7%
21		2552	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#26 FG_st_Comb: Fractile Groups:State (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
01		40509	5.0%
02		40478	5.0%
03		40555	5.0%
04		39849	4.9%
05		41578	5.1%
06		41273	5.1%
07		40901	5.1%
08		41054	5.1%
09		40704	5.0%
10		40910	5.1%
11		40218	5.0%
12		40480	5.0%
13		40451	5.0%
14		40551	5.0%

File Block32_commodity-purchased-records**#26 FG_st_Comb: Fractile Groups:State (Combined)**

Value	Label	Cases	Percentage
15		40371	5.0%
16		40951	5.1%
17		40765	5.0%
18		39069	4.8%
19		37305	4.6%
20		37477	4.6%
21		2552	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 FG_st_ss: Fractile Groups:State (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
01		40738	5.0%
02		40804	5.0%
03		40240	5.0%
04		40166	5.0%
05		40904	5.1%
06		41859	5.2%
07		41023	5.1%
08		40808	5.1%
09		40641	5.0%
10		41036	5.1%
11		40305	5.0%
12		39723	4.9%
13		41166	5.1%
14		40651	5.0%
15		40202	5.0%
16		40522	5.0%
17		40283	5.0%
18		37981	4.7%
19		39080	4.8%
20		37317	4.6%
21		2552	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 FG_sizeclass_twn: Fractile Groups:Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
00		523608	64.8%
01		12769	1.6%

File Block32_commodity-purchased-records**#28 FG_sizeclass_twn: Fractile Groups:Size class of town**

Value	Label	Cases	Percentage
02		13112	1.6%
03		13465	1.7%
04		13120	1.6%
05		13852	1.7%
06		14290	1.8%
07		14445	1.8%
08		14095	1.7%
09		14751	1.8%
10		14411	1.8%
11		13950	1.7%
12		14162	1.8%
13		15079	1.9%
14		13801	1.7%
15		13848	1.7%
16		15097	1.9%
17		14417	1.8%
18		14809	1.8%
19		14739	1.8%
20		13629	1.7%
21		2552	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		523608	64.8%
01		12956	1.6%
02		13079	1.6%
03		12981	1.6%
04		13971	1.7%
05		13532	1.7%
06		14142	1.8%
07		14086	1.7%
08		14855	1.8%
09		14643	1.8%
10		14048	1.7%
11		14592	1.8%
12		14328	1.8%
13		14039	1.7%
14		13807	1.7%
15		14671	1.8%
16		14287	1.8%

File Block32_commodity-purchased-records

#29 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Value	Label	Cases	Percentage
17		14164	1.8%
18		14802	1.8%
19		14379	1.8%
20		14479	1.8%
21		2552	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=282765 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		103671	36.7%
2		69134	24.4%
3		64190	22.7%
4		45770	16.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 S_grup: Social Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		86572	10.7%
2		124828	15.4%
3		2992	0.4%
8		3214	0.4%
9		590395	73.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 E_grup: Economic Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
01		102514	12.7%
02		86889	10.8%
03		128154	15.9%
04		36006	4.5%
05		166332	20.6%
06		38584	4.8%
07		87782	10.9%
08		56151	6.9%
09		54551	6.8%

File Block32_commodity-purchased-records

#32 E_grup: Economic Group

Value	Label	Cases	Percentage
10		6343	0.8%
11		44695	5.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Adult_edu_fem: Adult education for female

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=808001 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		430388	53.3%
2		47091	5.8%
3		176496	21.8%
4		97379	12.1%
5		51130	6.3%
6		5517	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block5-demographic-particulars-persons-records

#1 Key_Prsn: Key to locate person

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]
Recoding and Derivation	Generated key for identifying a person in the sample household

#2 Key_Hhold: Key to locate Household

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]

#3 Rec_Id: Record type

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
50	BBlock 5 of schedule	385495	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sample: Sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Central sample	385495	100.0%
2	State sample	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Sector: Sector

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]

File Block5-demographic-particulars-persons-records**#5 Sector: Sector**

Value	Label	Cases	Percentage
1	Rural	256199	66.5%
2	Urban	129296	33.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 Sub_sample: Sub-sample

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub-sample-1	192342	49.9%
2	Sub-sample-2	193153	50.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Sub_round: Sub-round

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub-round-1	96872	25.1%
2	Sub-round-2	96755	25.1%
3	Sub-round-3	95831	24.9%
4	Sub-round-4	96037	24.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 State: State

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

#9 Region: Region

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Region-1	128729	33.4%
2	Region-2	105807	27.4%
3	Region-3	74296	19.3%
4	Region-4	52209	13.5%
5	Region-5	16807	4.4%
6	Region-6	4193	1.1%
7	Region-7	3454	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 B1_q5: Sample Village/Block

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

File Block5-demographic-particulars-persons-records			
#11 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]		
#12 FSU_B1_q1: Srl.No. of Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]		
#13 B1_q8: Sample Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]		
#14 B5_q1: Serial no. of person			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]		
#15 B5_q3: Relation to head			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=385478 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	NR	17	0.0%
1	Head	73873	19.2%
2	Spouse of head	58613	15.2%
3	Married child	19295	5.0%
4	Spouse of married child	17451	4.5%
5	Unmarried child	152205	39.5%
6	Grand child	28977	7.5%
7	Father/mother/father-in-law/mother-in-law	11174	2.9%
8	Brother/sister/brother-in-law/sister-in-law/other relatives	22453	5.8%
9	Servant/Employee/other non-relatives	1420	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#16 B5_q4: Sex			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	199532	51.8%
2	Female	185963	48.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#17 B5_q5: Age (Years)			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-] [Mean=24.545 /-] [StdDev=18.662 /-]		
#18 B5_q6: Marital status			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]		

File Block5-demographic-particulars-persons-records

#18 B5_q6: Marital status

Value	Label	Cases	Percentage
1	Never married	199185	51.7%
2	Currently married	164328	42.6%
3	Widowed	20148	5.2%
4	Divorced/separated	1650	0.4%
8		184	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 B5_q7: Education

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=383224 /-] [Invalid=0 /-]
Literal question	Highest level of education attained(code)

Value	Label	Cases	Percentage
0	Not literate	198681	51.8%
1	Literate, but below primary/not undergone any formal education	50888	13.3%
2	Primary/Jr.basic	54343	14.2%
3	Middle/sr.basic	39104	10.2%
4	Tech./vocational school course	1232	0.3%
5	Malric/S,L.C.	18896	4.9%
6	Higher secondary/prc-university/intermediate-	9541	2.5%
7	Undergraduate dip./certificate not equivalent to degree	1572	0.4%
8	degree/dip. equivalent degree (at graduation level)	6963	1.8%
9	postgraduate degree/diploma/certificate-	2004	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 B5_q8: Polio

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]
Literal question	Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	12144	81.5%
2	On payment	708	4.8%
3	From private agency: free of cost	227	1.5%
4	On payment	1330	8.9%
5	Not received-	492	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 B5_q9: Measles

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]
Literal question	Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	2501	57.2%
2	On payment	217	5.0%

File Block5-demographic-particulars-persons-records

#21 B5_q9: Measles

Value	Label	Cases	Percentage
3	From private agency: free of cost	59	1.3%
4	On payment	429	9.8%
5	Not received-	1165	26.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B5_q10: D.P.T

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]
Literal question	Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	6821	1.8%
2	On payment	346	0.1%
3	From private agency: free of cost	95	0.0%
4	On payment	762	0.2%
5	Not received-	632	0.2%
6		144246	37.4%
7		232022	60.2%
8		571	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B5_q11: B.C.G

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]
Literal question	Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	4900	70.0%
2	On payment	345	4.9%
3	From private agency: free of cost	79	1.1%
4	On payment	560	8.0%
5	Not received-	1116	15.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B5_q12: Typhoid

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]
Literal question	Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	2027	87.6%
2	On payment	66	2.9%
3	From private agency: free of cost	22	1.0%
4	On payment	138	6.0%
5	Not received-	61	2.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block5-demographic-particulars-persons-records

#25 B5_q13: Cholera

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Literal question Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	6294	82.7%
2	On payment	123	1.6%
3	From private agency: free of cost	58	0.8%
4	On payment	78	1.0%
5	Not received-	1056	13.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B5_q14: Tetanus

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Literal question Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	1308	0.3%
2	On payment	266	0.1%
3	From private agency: free of cost	49	0.0%
4	On payment	592	0.2%
5	Not received-	764	0.2%
6		149789	38.9%
7		232022	60.2%
8		705	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B5_q15: Rabies

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Literal question Health services received last year: Inoculation/immunisation/prophylaxis

Value	Label	Cases	Percentage
1	From govt. agency: free of cost	150	11.5%
2	On payment	25	1.9%
3	From private agency: free of cost	13	1.0%
4	On payment	36	2.7%
5	Not received-	1086	82.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 Wgt_ss: Multiplier (Sub-sample)

Information [Type= continuous] [Format=numeric] [Range= 17.68-406862.05] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-] [Mean=3800.149 /-] [StdDev=3693.552 /-]

#29 Wgt_combined: Multiplier (Combined)

Information [Type= continuous] [Format=numeric] [Range= 8.84-203431.03] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-] [Mean=1900.466 /-] [StdDev=1847.468 /-]

File Block5-demographic-particulars-persons-records

#30 FG_AI_Comb: Fractile Groups:All-India (Combined)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
00		384428	99.7%
21		1067	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 FG_AI_ss: Fractile Groups:All-India (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
00		384428	99.7%
21		1067	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 FG_st_Comb: Fractile Groups:State (Combined)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
01		24912	6.5%
02		23868	6.2%
03		24112	6.3%
04		21694	5.6%
05		22984	6.0%
06		22617	5.9%
07		21770	5.6%
08		21347	5.5%
09		20681	5.4%
10		20020	5.2%
11		18984	4.9%
12		19356	5.0%
13		18366	4.8%
14		18166	4.7%
15		16944	4.4%
16		16801	4.4%
17		15487	4.0%
18		13931	3.6%
19		12386	3.2%
20		10002	2.6%
21		1067	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block5-demographic-particulars-persons-records

#33 FG_st_ss: Fractile Groups:State (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
01		25064	6.5%
02		24065	6.2%
03		23667	6.1%
04		22266	5.8%
05		22474	5.8%
06		22849	5.9%
07		21784	5.7%
08		21214	5.5%
09		20460	5.3%
10		20113	5.2%
11		19270	5.0%
12		18739	4.9%
13		19061	4.9%
14		18022	4.7%
15		16952	4.4%
16		16518	4.3%
17		15283	4.0%
18		13766	3.6%
19		12865	3.3%
20		9996	2.6%
21		1067	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 FG_sizeclass_twn: Fractile Groups:Size class of town

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
00		255533	66.3%
01		7828	2.0%
02		7734	2.0%
03		7916	2.1%
04		7298	1.9%
05		7590	2.0%
06		7501	1.9%
07		7949	2.1%
08		7108	1.8%
09		7173	1.9%
10		6958	1.8%
11		6358	1.6%

File Block5-demographic-particulars-persons-records

#34 FG_sizeclass_twn: Fractile Groups:Size class of town

Value	Label	Cases	Percentage
12		6374	1.7%
13		6567	1.7%
14		5770	1.5%
15		5363	1.4%
16		5916	1.5%
17		4969	1.3%
18		4846	1.3%
19		4256	1.1%
20		3421	0.9%
21		1067	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=385495 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
00		255533	66.3%
01		7928	2.1%
02		7759	2.0%
03		7577	2.0%
04		7892	2.0%
05		7226	1.9%
06		7452	1.9%
07		7739	2.0%
08		7473	1.9%
09		7184	1.9%
10		6721	1.7%
11		6880	1.8%
12		6358	1.6%
13		6024	1.6%
14		5667	1.5%
15		5967	1.5%
16		5418	1.4%
17		5075	1.3%
18		4642	1.2%
19		4343	1.1%
20		3570	0.9%
21		1067	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=129296 /-] [Invalid=0 /-]

File Block5-demographic-particulars-persons-records

#36 Sizeclass_twn: Size class of town

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
1		47670	36.9%
2		31720	24.5%
3		29790	23.0%
4		20116	15.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 S_grup: Social Group

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
1		40395	10.5%
2		57071	14.8%
3		1349	0.3%
8		1454	0.4%
9		285226	74.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 E_grup: Economic Group

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
01		48688	12.6%
02		46096	12.0%
03		76263	19.8%
04		17807	4.6%
05		73082	19.0%
06		17464	4.5%
07		41714	10.8%
08		24656	6.4%
09		24039	6.2%
10		2613	0.7%
11		13073	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 Adult_edu_fem: Adult education for female

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=385495 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
1		204008	52.9%

File Block5-demographic-particulars-persons-records

#39 Adult_edu_fem: Adult education for female

Value	Label	Cases	Percentage
2		23994	6.2%
3		95935	24.9%
4		52088	13.5%
5		6857	1.8%
6		2613	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block51-Immunisation-persons-records

#1 Key_Prsn: Key to locate a person

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block 5

#2 Key_hhold: Key to locate a household

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block 5

#3 Rec_Id: Record type

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
51	Block 5.1 of schedule	152337	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sample: Sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Central sample	152337	100.0%
2	State sample	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Sector: Sector

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Rural	104685	68.7%
2	Urban	47652	31.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 Sub_sample: Sub-sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]

File Block51-Immunisation-persons-records**#6 Sub_sample: Sub-sample**

Value	Label	Cases	Percentage
1	Rural	75976	49.9%
2	Urban	76361	50.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Sub_round: Sub-round

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub-round-1	38064	25.0%
2	Sub-round-2	38196	25.1%
3	Sub-round-3	38299	25.1%
4	Sub-round-4	37778	24.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 State: State

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

#9 Region: Region

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Region-1	49174	32.3%
2	Region-2	42497	27.9%
3	Region-3	29294	19.2%
4	Region-4	21485	14.1%
5	Region-5	6675	4.4%
6	Region-6	1719	1.1%
7	Region-7	1493	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 B1_q5: Sample Village/Block

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

#11 Stratum: Stratum

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

#12 FSU_B1_q1: Srl.No. of Village/Block

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

#13 B1_q8: Sample Household

Information [Type= discrete] [Format=character] [Missing=*]

File Block51-Immunisation-persons-records			
#13 B1_q8: Sample Household			
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
#14 B51_q1: Serial No. of child			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Pre-question	Is the age below 16 years? If yes copy the serial number as in block-5 and ask all the questions		
Post-question	If Age more than 16 years skip all the questions		
#15 B51_q2: Polio Vaccine taken			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	44055	28.9%
2	No	108282	71.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#16 B51_q3: Polio Booster dose taken			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Nr	108397	71.2%
1	Yes	24655	16.2%
2	No	19260	12.6%
9	Invalid	25	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#17 B51_q4: No. of times taken			
Information	[Type= continuous] [Format=numeric] [Range= 0-91] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-] [Mean=0.767 /-] [StdDev=1.474 /-]		
#18 B51_q5: Age at which taken last (months)			
Information	[Type= continuous] [Format=numeric] [Range= 0-900] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-] [Mean=4.817 /-] [StdDev=12.981 /-]		
#19 B51_q6: Triple-antigen Vaccine taken			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	34086	22.4%
2	No	118251	77.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#20 B51_q7: Triple-antigen Booster dose taken			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		

File Block51-Immunisation-persons-records**#20 B51_q7: Triple-antigen Booster dose taken**

Value	Label	Cases	Percentage
0	NA	118361	77.7%
1	Yes	17926	11.8%
2	No	16010	10.5%
9	Invalid	40	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 B51_q8: No. of times taken

Information [Type= continuous] [Format=numeric] [Range= 0-81] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-] [Mean=0.58 /-] [StdDev=1.352 /-]

#22 B51_q9: Age at which taken last (months)

Information [Type= continuous] [Format=numeric] [Range= 0-900] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-] [Mean=3.914 /-] [StdDev=12.453 /-]

#23 B51_q10: Typhoid Vaccine taken

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	7445	4.9%
2	No	144892	95.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B51_q11: Typhoid Booster dose taken

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NA	144931	95.1%
1	Yes	3899	2.6%
2	No	3505	2.3%
9	Invalid	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 B51_q12: No. of times taken

Information [Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-] [Mean=0.0848 /-] [StdDev=0.482 /-]

#26 B51_q13: Age at which taken last (months)

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-] [Mean=0.401 /-] [StdDev=2.913 /-]

#27 Wgt_ss: Multiplier (Sub-sample)

Information [Type= continuous] [Format=numeric] [Range= 17.68-191839.9] [Missing=*]

Statistics [NW/ W] [Valid=152337 /-] [Invalid=0 /-] [Mean=3867.906 /-] [StdDev=3564.819 /-]

#28 Wgt_combined: Multiplier (Combined)

Information [Type= continuous] [Format=numeric] [Range= 8.84-95919.95] [Missing=*]

File Block51-Immunitation-persons-records			
#28 Wgt_combined: Multiplier (Combined)			
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-] [Mean=1934.447 /-] [StdDev=1783.426 /-]		
#29 FG_AI_Comb: Fractile Groups:All-India (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		151929	99.7%
21		408	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#30 FG_AI_ss: Fractile Groups:All-India (Sub-sample)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		151929	99.7%
21		408	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#31 FG_st_Comb: Fractile Groups:State (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
01		12038	7.9%
02		11000	7.2%
03		11034	7.2%
04		9445	6.2%
05		10135	6.7%
06		9806	6.4%
07		9215	6.0%
08		8845	5.8%
09		8339	5.5%
10		7877	5.2%
11		7286	4.8%
12		7365	4.8%
13		6738	4.4%
14		6636	4.4%
15		5841	3.8%
16		5608	3.7%
17		4888	3.2%
18		4097	2.7%
19		3483	2.3%
20		2253	1.5%

File Block51-Immunitation-persons-records**#31 FG_st_Comb: Fractile Groups:State (Combined)**

Value	Label	Cases	Percentage
21		408	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 FG_st_ss: Fractile Groups:State (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
01		12056	7.9%
02		11119	7.3%
03		10771	7.1%
04		9833	6.5%
05		9870	6.5%
06		9890	6.5%
07		9261	6.1%
08		8672	5.7%
09		8260	5.4%
10		7954	5.2%
11		7304	4.8%
12		7201	4.7%
13		7011	4.6%
14		6554	4.3%
15		5916	3.9%
16		5520	3.6%
17		4812	3.2%
18		4081	2.7%
19		3571	2.3%
20		2273	1.5%
21		408	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 FG_sizeclass_twn: Fractile Groups:Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
00		104441	68.6%
01		3810	2.5%
02		3478	2.3%
03		3441	2.3%
04		3117	2.0%
05		3213	2.1%
06		2969	1.9%
07		3213	2.1%

File Block51-Immunitation-persons-records

#33 FG_sizeclass_twn: Fractile Groups:Size class of town

Value	Label	Cases	Percentage
08		2736	1.8%
09		2749	1.8%
10		2503	1.6%
11		2235	1.5%
12		2252	1.5%
13		2161	1.4%
14		1935	1.3%
15		1635	1.1%
16		1737	1.1%
17		1343	0.9%
18		1280	0.8%
19		1036	0.7%
20		645	0.4%
21		408	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
00		104441	68.6%
01		3832	2.5%
02		3558	2.3%
03		3279	2.2%
04		3359	2.2%
05		3006	2.0%
06		2966	1.9%
07		3101	2.0%
08		2938	1.9%
09		2734	1.8%
10		2407	1.6%
11		2487	1.6%
12		2181	1.4%
13		1982	1.3%
14		1838	1.2%
15		1887	1.2%
16		1563	1.0%
17		1394	0.9%
18		1200	0.8%
19		1080	0.7%
20		696	0.5%
21		408	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block51-Immunitation-persons-records			
#35 Sizeclass_twn: Size class of town			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=47652 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
1		18421	38.7%
2		11601	24.3%
3		11002	23.1%
4		6628	13.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#36 S_grup: Social Group			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
1		16163	10.6%
2		23664	15.5%
3		543	0.4%
8		565	0.4%
9		111402	73.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#37 E_grup: Economic Group			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
01		19658	12.9%
02		18417	12.1%
03		29978	19.7%
04		6812	4.5%
05		29286	19.2%
06		6145	4.0%
07		16860	11.1%
08		9746	6.4%
09		9736	6.4%
10		935	0.6%
11		4764	3.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#38 Adult_edu_fem: Adult education for female			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=152337 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		

File Block51-Immunisation-persons-records**#38 Adult_edu_fem: Adult education for female**

Value	Label	Cases	Percentage
1		87655	57.5%
2		9924	6.5%
3		36774	24.1%
4		15621	10.3%
5		1295	0.9%
6		1068	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block52-Anti-tetanus-injection-details-women-records**#1 Key_women: Key to locate person**

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70858 /-] [Invalid=0 /-]

#2 Key_hhold: Key to locate household

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70858 /-] [Invalid=0 /-]

#3 Rec_Id: Record type

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70858 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
52	Block -5.2 of schedule	70858	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sample: Sample

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70858 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Central sample	70858	100.0%
2	State sample	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 Sector: Sector

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70858 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Rural	48121	67.9%
2	Urban	22737	32.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 Sub_sample: Sub-sample

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70858 /-] [Invalid=0 /-]

File Block52-Anti-tetanus-injection-details-women-records

#6 Sub_sample: Sub-sample

Value	Label	Cases	Percentage
1	Sub-sample-1	35417	50.0%
2	Sub-sample-2	35441	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 Sub_round: Sub-round

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub-round-1	17836	25.2%
2	Sub-round-2	17729	25.0%
3	Sub-round-3	17548	24.8%
4	Sub-round-4	17745	25.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 State: State

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]

Frequency table not shown (31 Modalities)

#9 Region: Region

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Region-1	23225	32.8%
2	Region-2	19323	27.3%
3	Region-3	13549	19.1%
4	Region-4	10256	14.5%
5	Region-5	3029	4.3%
6	Region-6	814	1.1%
7	Region-7	662	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 B1_q5: Sample Village/Block

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

#11 Stratum: Stratum

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Frequency table not shown (81 Modalities)

#12 FSU_B1_q1: Srl.No. of Village/Block

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File Block52-Anti-tetanus-injection-details-women-records			
#12 FSU_B1_q1: Srl.No. of Village/Block			
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
#13 B1_q8: Sample Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
1		12438	17.6%
2		12334	17.4%
3		12280	17.3%
4		12311	17.4%
5		11262	15.9%
6		10228	14.4%
7		3	0.0%
8		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#14 B52_q1: Serial No			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]		
Pre-question	If marital status is ever married and age below 50 years (see block-5 data set) then copy the serial number and Ask all the question		
Literal question	Serial number of ever married women below 50 years		
Post-question	If not evermarried women below 50 years then Skip all the questions.		
<i>Frequency table not shown (45 Modalities)</i>			
#15 B52_q2: Last child born alive			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Within preceding 2 years	17997	25.4%
9	Others	52861	74.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#16 B52_q3: Whether anti-tetanus injection taken before the child birth			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=18464 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	NR	15	0.1%
1	Yes	7685	41.6%
2	No	10630	57.6%
9	Invalid	134	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

File Block52-Anti-tetanus-injection-details-women-records			
#17 B52_q4: No. of times taken			
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-] [Mean=0.237 /-] [StdDev=0.873 /-]		
#18 Wgt_ss: Multiplier (Sub-sample)			
Information	[Type= continuous] [Format=numeric] [Range= 17.68-191839.9] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-] [Mean=3915.831 /-] [StdDev=3430.41 /-]		
#19 Wgt_combined: Multiplier (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 8.84-95919.95] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-] [Mean=1958.476 /-] [StdDev=1716.242 /-]		
#20 FG_AI_Comb: Fractile Groups:All-India (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		70675	99.7%
21		183	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#21 FG_AI_ss: Fractile Groups:All-India (Sub-sample)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		70675	99.7%
21		183	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#22 FG_st_Comb: Fractile Groups:State (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
01		4243	6.0%
02		4296	6.1%
03		4280	6.0%
04		3871	5.5%
05		4163	5.9%
06		4078	5.8%
07		3898	5.5%
08		3911	5.5%
09		3802	5.4%
10		3661	5.2%
11		3582	5.1%

File Block52-Anti-tetanus-injection-details-women-records

#22 FG_st_Comb: Fractile Groups:State (Combined)

Value	Label	Cases	Percentage
12		3550	5.0%
13		3470	4.9%
14		3359	4.7%
15		3266	4.6%
16		3135	4.4%
17		3030	4.3%
18		2734	3.9%
19		2417	3.4%
20		1929	2.7%
21		183	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 FG_st_ss: Fractile Groups:State (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
01		4276	6.0%
02		4292	6.1%
03		4222	6.0%
04		3981	5.6%
05		4073	5.7%
06		4123	5.8%
07		3925	5.5%
08		3835	5.4%
09		3748	5.3%
10		3687	5.2%
11		3671	5.2%
12		3462	4.9%
13		3531	5.0%
14		3396	4.8%
15		3209	4.5%
16		3127	4.4%
17		2992	4.2%
18		2700	3.8%
19		2490	3.5%
20		1935	2.7%
21		183	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 FG_sizeclass_twn: Fractile Groups:Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

File Block52-Anti-tetanus-injection-details-women-records

#24 FG_sizeclass_twn: Fractile Groups:Size class of town

Value	Label	Cases	Percentage
00		48003	67.7%
01		1260	1.8%
02		1337	1.9%
03		1366	1.9%
04		1249	1.8%
05		1291	1.8%
06		1322	1.9%
07		1337	1.9%
08		1254	1.8%
09		1240	1.7%
10		1203	1.7%
11		1114	1.6%
12		1162	1.6%
13		1190	1.7%
14		1035	1.5%
15		989	1.4%
16		1091	1.5%
17		899	1.3%
18		895	1.3%
19		795	1.1%
20		643	0.9%
21		183	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=70858 /-] [Invalid=0 /-]

Recoding and Derivation See data set of Block-1

Value	Label	Cases	Percentage
00		48003	67.7%
01		1292	1.8%
02		1320	1.9%
03		1314	1.9%
04		1350	1.9%
05		1263	1.8%
06		1276	1.8%
07		1312	1.9%
08		1286	1.8%
09		1244	1.8%
10		1194	1.7%
11		1204	1.7%
12		1140	1.6%
13		1113	1.6%

File Block52-Anti-tetanus-injection-details-women-records

#25 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Value	Label	Cases	Percentage
14		1009	1.4%
15		1095	1.5%
16		993	1.4%
17		907	1.3%
18		868	1.2%
19		817	1.2%
20		675	1.0%
21		183	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=22737 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		8438	37.1%
2		5597	24.6%
3		5207	22.9%
4		3495	15.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 S_grup: Social Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		7408	10.5%
2		11097	15.7%
3		240	0.3%
8		254	0.4%
9		51859	73.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 E_grup: Economic Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
01		8798	12.4%
02		8376	11.8%
03		13849	19.5%
04		3170	4.5%
05		14393	20.3%
06		3119	4.4%

File Block52-Anti-tetanus-injection-details-women-records

#28 E_grup: Economic Group

Value	Label	Cases	Percentage
07		7692	10.9%
08		4565	6.4%
09		4472	6.3%
10		434	0.6%
11		1990	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 Adult_edu_fem: Adult education for female

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=70858 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		39080	55.2%
2		4573	6.5%
3		17466	24.6%
4		9202	13.0%
5		50	0.1%
6		487	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block6-Healthcare-morbidity-children-records

#1 Key_child: Key to locate a person

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]

#2 Key_hhold: Key to locate a household

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]

#3 Rec_Id: Record type

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
06	Block -6 of schedule	44084	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sample: Sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Central sample	44084	100.0%
2	State sample	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block6-Healthcare-morbidity-children-records**#5 Sector: Sector****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=44084 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Rural	30798	69.9%
2	Urban	13286	30.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#6 Sub_sample: Sub-sample****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=44084 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub-sample-1	22137	50.2%
2	Sub-sample-2	21947	49.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#7 Sub_round: Sub-round****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=44084 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Sub-round-1	11018	25.0%
2	Sub-round-2	11171	25.3%
3	Sub-round-3	11059	25.1%
4	Sub-round-4	10836	24.6%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#8 State: State****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=44084 /-] [Invalid=0 /-]*Frequency table not shown (31 Modalities)***#9 Region: Region****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=44084 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Region-1	14076	31.9%
2	Region-2	12281	27.9%
3	Region-3	8077	18.3%
4	Region-4	6692	15.2%
5	Region-5	2001	4.5%
6	Region-6	508	1.2%
7	Region-7	449	1.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***#10 B1_q5: Sample Village/Block****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=44084 /-] [Invalid=0 /-]

File Block6-Healthcare-morbidity-children-records			
#11 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
#12 FSU_B1_q1: Srl.No. of Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
#13 B1_q8: Sample Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
#14 B6_q1: Serial no			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Pre-question	The questions in this block are applicate to child 0-4 years only		
Literal question	Serial no of child having age 0-4 years (from Block-5)		
Post-question	if age is 5 years and above skip all the questions in this block		
#15 B6_q2: Sex			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	22527	51.1%
2	Female	21557	48.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#16 B6_q3: Age (years)			
Information	[Type= continuous] [Format=numeric] [Range= 0-44] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-] [Mean=2.054 /-] [StdDev=1.656 /-]		
#17 B6_q4: Age in weeks (If age 0)			
Information	[Type= continuous] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
#18 B6_q5: Child registered paediatric care?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Literal question	Whether the child was registered for paediatric care		
Value	Label	Cases	Percentage
1	Yes:in hospital	4980	11.3%
2	Yes:With doctor	1571	3.6%
3	Yes:With auxillary~nurse/LHV	1142	2.6%
4	No	34766	78.9%
9	Invalid	1625	3.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

File Block6-Healthcare-morbidity-children-records			
#19 B6_q6: Type of hospital/doctor			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Literal question	If code 1 or 2 in Q.5 type of hospital/doctor(code)		
Value	Label	Cases	Percentage
0	NA	37908	86.0%
1	public hospital	3217	7.3%
2	primary health centre	446	1.0%
3	public dispensary	77	0.2%
4	private hospital	1388	3.1%
5	nursing home	245	0.6%
6	charitable institution run by trust	63	0.1%
7	E.S.I, doctor/AMA	22	0.0%
8	private doctor	549	1.2%
9	others	169	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#20 B6_q7: No. of times child was taken			
Information	[Type= continuous] [Format=numeric] [Range= 0-121] [Missing=*]		
Statistics [NW/ W]	[Valid=2798 /-] [Invalid=41286 /-] [Mean=1.777 /-] [StdDev=5.416 /-]		
Literal question	If code 1-3 in Q.5 and the child is of age 0 years, no of times it was taken for paediatric care.		
#21 B6_q8: Supplementaryfood received?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Literal question	Supplementaryfood whether received during last 365 days?		
Value	Label	Cases	Percentage
0	NA	2117	4.8%
1	Yes	1390	3.2%
2	No	40577	92.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#22 B6_q9: Type of feeding centre			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Literal question	Supplementaryfood : If code 1 in Q.8, type of feeding centre		
Value	Label	Cases	Percentage
0	NA	42485	96.4%
1	Government agency	1263	2.9%
2	Private body/trust	303	0.7%
3	Agency not known	33	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#23 B6_q10: Received during last 30 days			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		

File Block6-Healthcare-morbidity-children-records

#23 B6_q10: Received during last 30 days

Literal question Supplementaryfood whether received during last 30 days

Value	Label	Cases	Percentage
0	NA	1970	4.5%
1	Yes	1317	3.0%
2	No	40797	92.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B6_q11: No. of days received

Information [Type= continuous] [Format=numeric] [Range= 0-63] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-] [Mean=0.555 /-] [StdDev=3.616 /-]

Literal question Supplementaryfood : If code-1 in Q.10 no. of days received

#25 B6_q12: Type of food received

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=2370 /-] [Invalid=0 /-]

Literal question Supplementaryfood : Type of food received

Value	Label	Cases	Percentage
0	NA	1125	47.5%
1	Milk	146	6.2%
2	Cereal	549	23.2%
3	Mixed	468	19.7%
9	Invalid	82	3.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B6_q13: Child hospitalised?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-]

Literal question Whether child was hospital on account of any ailment/injury during last 365 days?

Value	Label	Cases	Percentage
0	NA	1678	3.8%
1	Yes	905	2.1%
2	No	41501	94.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B6_q14: Type of ailmentt

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=38843 /-] [Invalid=0 /-]

Literal question If code-1 in Q.13, Type of ailment

Frequency table not shown (53 Modalities)

#28 B6_q15: Type of hospital

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=2022 /-] [Invalid=0 /-]

Literal question If code-1 in Q.13, Type of hospital

File Block6-Healthcare-morbidity-children-records

#28 B6_q15: Type of hospital

Value	Label	Cases	Percentage
0	NA	1125	55.6%
1	public hospital	425	21.0%
2	primary health centre	80	4.0%
3	public dispensary	1	0.0%
4	private hospital	257	12.7%
5	nursing home	18	0.9%
6	charitable institution run by trust	4	0.2%
7	E.S.I, doctor/AMA	1	0.0%
8	private doctor	55	2.7%
9	others	56	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 B6_q16: System of medicine

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2037 /-] [Invalid=0 /-]
Literal question	If code-1 in Q.13, Type of medicine

Value	Label	Cases	Percentage
0	NA	1129	55.4%
1	Allopathic	834	40.9%
2	Homeopathic	40	2.0%
3	Ayurvedic	8	0.4%
4	unani/hakim	7	0.3%
5	any combination of codes 1 to 4	0	0.0%
8	Invalid	5	0.2%
9	others	14	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 B6_q17: Not hospitalised for disease?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]
Literal question	Whether the child suffered from any disease/injury, not hospitalised during last 30 days

Value	Label	Cases	Percentage
0	NA	1658	3.8%
1	Yes	5131	11.6%
2	No	37295	84.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 B6_q18: Type of ailment

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=39295 /-] [Invalid=0 /-]
Literal question	If code-1 in Q.17, Type of ailment

Frequency table not shown (53 Modalities)

File Block6-Healthcare-morbidity-children-records

#32 B6_q19: Whether treated

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-]

Literal question If code-1 in Q.17,Whether treated

Value	Label	Cases	Percentage
0	NA	37295	84.6%
1	Yes	4456	10.1%
2	No	663	1.5%
8	NR	1670	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 B6_q20: Source of treatment

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5613 /-] [Invalid=0 /-]

Literal question If code-1 in Q.17,Source of treatment

Value	Label	Cases	Percentage
0	NA	1122	20.0%
1	public hospital	968	17.2%
2	primary health centre	224	4.0%
3	public dispensary	90	1.6%
4	private hospital	673	12.0%
5	nursing home	26	0.5%
6	charitable institution run by trust	15	0.3%
7	E.S,I, doctor/AMA	19	0.3%
8	private doctor	2292	40.8%
9	others	184	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 B6_q21: System of medicine

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5607 /-] [Invalid=0 /-]

Literal question If code-1 in Q.17,System of medicine

Value	Label	Cases	Percentage
0	NA	1121	20.0%
1	Allopathic	4055	72.3%
2	Homeopathic	271	4.8%
3	Ayurvedic	81	1.4%
4	unani/hakim	16	0.3%
5	any combination of codes 1 to 4	3	0.1%
8	Invalid	12	0.2%
9	others	48	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 B6_q22: Reason for no-treatment

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1983 /-] [Invalid=0 /-]

File Block6-Healthcare-morbidity-children-records

#35 B6_q22: Reason for no-treatment

Literal question If code-2 in Q.19 reason for no treatment.

Value	Label	Cases	Percentage
0	NA	1122	56.6%
1	No medical facilities available in the neighbourhood	77	3.9%
2	Lack of faith in the system of medicine	84	4.2%
3	Long waiting	5	0.3%
4	Financial reasons	126	6.4%
5	Ailment not considered serious	392	19.8%
9	Other reasons	177	8.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Wgt_ss: Multiplier (Sub-sample)

Information [Type= continuous] [Format=numeric] [Range= 17.68-191839.9] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-] [Mean=3949.819 /-] [StdDev=3550.573 /-]

#37 Wgt_combined: Multiplier (Combined)

Information [Type= continuous] [Format=numeric] [Range= 8.84-95919.95] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-] [Mean=1976.134 /-] [StdDev=1777.913 /-]

#38 FG_AI_Comb: Fractile Groups:All-India (Combined)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		43993	99.8%
21		91	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 FG_AI_ss: Fractile Groups:All-India (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		43993	99.8%
21		91	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 FG_st_Comb: Fractile Groups:State (Combined)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
01		3702	8.4%
02		3463	7.9%
03		3357	7.6%

File Block6-Healthcare-morbidity-children-records

#40 FG_st_Comb: Fractile Groups:State (Combined)

Value	Label	Cases	Percentage
04		2879	6.5%
05		2928	6.6%
06		2877	6.5%
07		2619	5.9%
08		2541	5.8%
09		2438	5.5%
10		2264	5.1%
11		2119	4.8%
12		2125	4.8%
13		1903	4.3%
14		1861	4.2%
15		1607	3.6%
16		1548	3.5%
17		1292	2.9%
18		1102	2.5%
19		872	2.0%
20		496	1.1%
21		91	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 FG_st_ss: Fractile Groups:State (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
01		3732	8.5%
02		3450	7.8%
03		3318	7.5%
04		2954	6.7%
05		2882	6.5%
06		2936	6.7%
07		2625	6.0%
08		2485	5.6%
09		2349	5.3%
10		2277	5.2%
11		2183	5.0%
12		2102	4.8%
13		1956	4.4%
14		1831	4.2%
15		1590	3.6%
16		1535	3.5%
17		1291	2.9%
18		1050	2.4%
19		941	2.1%

File Block6-Healthcare-morbidity-children-records			
#41 FG_st_ss: Fractile Groups:State (Sub-sample)			
Value	Label	Cases	Percentage
20		506	1.1%
21		91	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#42 FG_sizeclass_twn: Fractile Groups:Size class of town			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of block-1		
Value	Label	Cases	Percentage
00		30740	69.7%
01		1147	2.6%
02		1081	2.5%
03		1029	2.3%
04		907	2.1%
05		897	2.0%
06		845	1.9%
07		865	2.0%
08		786	1.8%
09		723	1.6%
10		673	1.5%
11		623	1.4%
12		599	1.4%
13		614	1.4%
14		526	1.2%
15		439	1.0%
16		473	1.1%
17		356	0.8%
18		300	0.7%
19		232	0.5%
20		138	0.3%
21		91	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#43 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of block-1		
Value	Label	Cases	Percentage
00		30740	69.7%
01		1161	2.6%
02		1106	2.5%
03		968	2.2%
04		994	2.3%
05		873	2.0%

File Block6-Healthcare-morbidity-children-records

#43 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Value	Label	Cases	Percentage
06		826	1.9%
07		815	1.8%
08		787	1.8%
09		766	1.7%
10		639	1.4%
11		691	1.6%
12		570	1.3%
13		556	1.3%
14		535	1.2%
15		477	1.1%
16		412	0.9%
17		392	0.9%
18		297	0.7%
19		249	0.6%
20		139	0.3%
21		91	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=13286 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of block-1		
Value	Label	Cases	Percentage
1		5222	39.3%
2		3254	24.5%
3		3018	22.7%
4		1792	13.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 S_grup: Social Group

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of block-1		
Value	Label	Cases	Percentage
1		4752	10.8%
2		7436	16.9%
3		166	0.4%
8		171	0.4%
9		31559	71.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 E_grup: Economic Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44084 /-] [Invalid=0 /-]

File Block6-Healthcare-morbidity-children-records

#46 E_grup: Economic Group

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
01		5443	12.3%
02		5089	11.5%
03		8711	19.8%
04		2130	4.8%
05		8749	19.8%
06		1578	3.6%
07		5004	11.4%
08		2913	6.6%
09		3064	7.0%
10		254	0.6%
11		1149	2.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Adult_edu_fem: Adult education for female

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=44084 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
1		26218	59.5%
2		2864	6.5%
3		10186	23.1%
4		4405	10.0%
5		89	0.2%
6		322	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block7-Pre-post-natal-maternity-mother-records

#1 Key_infant: Key to locate person

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

#2 Key_hhold: Key to locate household

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

#3 Rec_Id: Record type

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
07	Block -7 of schedule	7763	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block7-Pre-post-natal-maternity-mother-records			
#4 Sample: Sample			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=7763 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Central sample	7763	100.0%
2	State sample	0	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#5 Sector: Sector			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=7763 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Rural	5368	69.1%
2	Urban	2395	30.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#6 Sub_sample: Sub-sample			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=7763 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Sub-sample-1	3940	50.8%
2	Sub-sample-2	3823	49.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#7 Sub_round: Sub-round			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=7763 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Sub-round-1	1905	24.5%
2	Sub-round-2	1983	25.5%
3	Sub-round-3	1947	25.1%
4	Sub-round-4	1928	24.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#8 State: State			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=7763 /-] [Invalid=0 /-]	
<i>Frequency table not shown (31 Modalities)</i>			
#9 Region: Region			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=7763 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Region-1	2336	30.1%
2	Region-2	2188	28.2%
3	Region-3	1418	18.3%

File Block7-Pre-post-natal-maternity-mother-records			
#9 Region: Region			
Value	Label	Cases	Percentage
4	Region-4	1271	16.4%
5	Region-5	360	4.6%
6	Region-6	102	1.3%
7	Region-7	88	1.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#10 B1_q5: Sample Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
#11 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
#12 FSU_B1_q1: Srl.No. of Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
#13 B1_q8: Sample Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
#14 B7_q1_srlno: Serial no. of infant(0 years as in Block-5)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
#15 B7_q2: Sex			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	3893	50.1%
2	Female	3870	49.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#16 B7_q3: Age (weeks)			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-] [Mean=18.012 /-] [StdDev=14.249 /-]		
#17 B7_q4: Order of birth			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-] [Mean=4.997 /-] [StdDev=14.194 /-]		
#18 B7_q5: Whether the mother was registered for pre-natal care			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	NR	199	2.6%

File Block7-Pre-post-natal-maternity-mother-records

#18 B7_q5: Whether the mother was registered for pre-natal care

Value	Label	Cases	Percentage
1	yes:in hospital/PHC/maternity home	1534	19.8%
2	Yes:With doctor	421	5.4%
3	Yes:With auxillary~nurse/LHV	306	3.9%
4	No	5303	68.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 B7_q6: Type of hospital/doctor1

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
Literal question	If CODE 1 OR 2 IN q.5-Type of hospital/doctor		
Value	Label	Cases	Percentage
0	NA	5849	75.3%
1	public hospital	928	12.0%
2	primary health cntre	167	2.2%
3	public dispensary	17	0.2%
4	private hospital	477	6.1%
5	nursing home	89	1.1%
6	charitable institution run by trust	24	0.3%
7	E.S.I, doctor/AMA	6	0.1%
8	private doctor	191	2.5%
9	others	15	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 B7_q7: No. of months before child birth

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=2254 /-] [Invalid=5509 /-] [Mean=3.605 /-] [StdDev=3.414 /-]
Literal question	If CODE 1 -3 in Q.5-No. of months before child birth

#21 B7_q8: No. of times attended for pre-natal care

Information	[Type= continuous] [Format=numeric] [Range= 0-33215] [Missing=*]
Statistics [NW/ W]	[Valid=998 /-] [Invalid=6765 /-] [Mean=2941.318 /-] [StdDev=2608.578 /-]
Literal question	If CODE 1 -3 in Q.5-No. of months before child birth

#22 B7_q9: Whether received any free food?

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	NR	557	7.2%
1	Yes	147	1.9%
2	No	7059	90.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B7_q10: Whether received any free medicine?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]

File Block7-Pre-post-natal-maternity-mother-records

#23 B7_q10: Whether received any free medicine?

Value	Label	Cases	Percentage
0	NR	619	8.0%
1	Yes	982	12.6%
2	No	6162	79.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B7_q11: Medical attendance at child birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NR	227	2.9%
1	No attendance	1845	23.8%
2	Govt. appointed doctor	952	12.3%
3	Other doctor	729	9.4%
4	Govt.appointed nurse/midwife	606	7.8%
5	other nurse/midwife	1739	22.4%
9	Others	1665	21.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 B7_q12: Place of child birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	At homo	5409	69.7%
2	hospital/PHC/maternity home	1905	24.5%
9	Other place	449	5.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B7_q13: Reason for not going to hospital

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Literal question If code 1 or 9 in Q.12, Reason for not going to hospital

Value	Label	Cases	Percentage
0	NA	1890	24.3%
1	By preferen:e	2599	33.5%
2	Too expensive	713	9.2%
3	Not available in the neighbourhood	1013	13.0%
8	NR	309	4.0%
9	Others	1239	16.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B7_q14: Type of hospital

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Literal question If code-2 n Q.12, Type of hospital

File Block7-Pre-post-natal-maternity-mother-records

#27 B7_q14: Type of hospital

Value	Label	Cases	Percentage
0	NA	5859	75.5%
1	public hospital	1074	13.8%
2	primary health centre	127	1.6%
3	public dispensary	13	0.2%
4	private hospital	505	6.5%
5	nursing home	124	1.6%
6	charitable institution run by trust	26	0.3%
7	E.S.I, doctor/AMA	2	0.0%
8	private doctor	11	0.1%
9	others	22	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 B7_q15: Type of ward

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2036 /-] [Invalid=0 /-]
Literal question	If code-2 n Q.12, Type of ward

Value	Label	Cases	Percentage
0	NA	148	7.3%
1	free	1091	53.6%
2	paYing general	590	29.0%
3	paying special	201	9.9%
9	Invalid	6	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 B7_q16: Duration of mother's stay (days)

Information	[Type= continuous] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=5732 /-]
Literal question	If code-2 n Q.12, Duration of mother's stay (days)

#30 B7_q17: Whether the mother had to overstay

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2116 /-] [Invalid=0 /-]
Literal question	Whether the mother had to stay in hospital for more than normal duration owing to post natal complications

Value	Label	Cases	Percentage
0	NA	149	7.0%
1	Yes	181	8.6%
2	No	1769	83.6%
9	Invalid	17	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 B7_q18: Mother was registered?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]
Literal question	Mother was registered for post-natal care

File Block7-Pre-post-natal-maternity-mother-records

#31 B7_q18: Mother was registered?

Value	Label	Cases	Percentage
0	NA	260	3.3%
1	yes: in hospital/PHC/maternity home	650	8.4%
2	With doctor	405	5.2%
3	With auxiliary nurse/LHV	167	2.2%
4	No	6281	80.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 B7_q19: Type of hospital/doctor

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]
Literal question	If code 1 or 2 in Q.18, Type of hospital/doctor

Value	Label	Cases	Percentage
0	NA	6827	87.9%
1	public hospital	395	5.1%
2	primary health centre	91	1.2%
3	public dispensary	11	0.1%
4	private hospital	251	3.2%
5	nursing home	41	0.5%
6	charitable institution run by trust	8	0.1%
7	E.S.I, doctor/AMA	5	0.1%
8	private doctor	111	1.4%
9	others	23	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 B7_q20: No. of times mother was attended to

Information	[Type= continuous] [Format=numeric] [Range= 0-900] [Missing=*]
Statistics [NW/ W]	[Valid=1290 /-] [Invalid=6473 /-] [Mean=4.737 /-] [StdDev=31.404 /-]
Literal question	If code 1 -3 in Q.18, no. of times mother was attended to.

#34 B7_q21: Whether received any free food

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NA	1241	16.0%
1	Yes	112	1.4%
2	No	6410	82.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 B7_q22: Whether received any free medicine

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NA	1320	17.0%
1	Yes	468	6.0%

File Block7-Pre-post-natal-maternity-mother-records

#35 B7_q22: Whether received any free medicine

Value	Label	Cases	Percentage
2	No	5975	77.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Wgt_ss: Multiplier (Sub-sample)

Information [Type= continuous] [Format=numeric] [Range= 17.68-67113.85] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-] [Mean=4005.542 /-] [StdDev=2576.506 /-]

#37 Wgt_combined: Multiplier (Combined)

Information [Type= continuous] [Format=numeric] [Range= 8.84-33556.93] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-] [Mean=2003.982 /-] [StdDev=1288.878 /-]

#38 FG_AI_Comb: Fractile Groups:All-India (Combined)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		7747	99.8%
21		16	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 FG_AI_ss: Fractile Groups:All-India (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		7747	99.8%
21		16	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 FG_st_Comb: Fractile Groups:State (Combined)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
01		697	9.0%
02		659	8.5%
03		587	7.6%
04		516	6.6%
05		553	7.1%
06		496	6.4%
07		447	5.8%
08		422	5.4%
09		422	5.4%
10		356	4.6%
11		368	4.7%

File Block7-Pre-post-natal-maternity-mother-records

#40 FG_st_Comb: Fractile Groups:State (Combined)

Value	Label	Cases	Percentage
12		387	5.0%
13		348	4.5%
14		314	4.0%
15		285	3.7%
16		278	3.6%
17		188	2.4%
18		192	2.5%
19		156	2.0%
20		76	1.0%
21		16	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 FG_st_ss: Fractile Groups:State (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
01		706	9.1%
02		641	8.3%
03		586	7.5%
04		555	7.1%
05		519	6.7%
06		522	6.7%
07		419	5.4%
08		416	5.4%
09		410	5.3%
10		366	4.7%
11		386	5.0%
12		368	4.7%
13		349	4.5%
14		327	4.2%
15		295	3.8%
16		253	3.3%
17		207	2.7%
18		173	2.2%
19		175	2.3%
20		74	1.0%
21		16	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 FG_sizeclass_twn: Fractile Groups:Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

File Block7-Pre-post-natal-maternity-mother-records

#42 FG_sizeclass_twn: Fractile Groups:Size class of town

Value	Label	Cases	Percentage
00		5358	69.0%
01		211	2.7%
02		208	2.7%
03		198	2.6%
04		170	2.2%
05		148	1.9%
06		154	2.0%
07		164	2.1%
08		134	1.7%
09		133	1.7%
10		115	1.5%
11		117	1.5%
12		106	1.4%
13		93	1.2%
14		87	1.1%
15		99	1.3%
16		99	1.3%
17		58	0.7%
18		48	0.6%
19		27	0.3%
20		20	0.3%
21		16	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7763 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		5358	69.0%
01		220	2.8%
02		206	2.7%
03		193	2.5%
04		165	2.1%
05		167	2.2%
06		149	1.9%
07		147	1.9%
08		130	1.7%
09		128	1.6%
10		128	1.6%
11		119	1.5%
12		100	1.3%
13		99	1.3%

File Block7-Pre-post-natal-maternity-mother-records

#43 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Value	Label	Cases	Percentage
14		87	1.1%
15		97	1.2%
16		91	1.2%
17		65	0.8%
18		46	0.6%
19		32	0.4%
20		20	0.3%
21		16	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2395 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
1		963	40.2%
2		545	22.8%
3		551	23.0%
4		336	14.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 S_grup: Social Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
1		705	9.1%
2		1396	18.0%
3		29	0.4%
8		25	0.3%
9		5608	72.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 E_grup: Economic Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
01		910	11.7%
02		892	11.5%
03		1491	19.2%
04		420	5.4%
05		1554	20.0%
06		271	3.5%

File Block7-Pre-post-natal-maternity-mother-records

#46 E_grup: Economic Group

Value	Label	Cases	Percentage
07		896	11.5%
08		502	6.5%
09		604	7.8%
10		50	0.6%
11		173	2.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Adult_edu_fem: Adult education for female

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=7763 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
1		4555	58.7%
2		501	6.5%
3		1827	23.5%
4		806	10.4%
5		17	0.2%
6		57	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block8-Family-planning-services-received-by-couple-records

#1 KEY_Person: Key to locate person (couple)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]

#2 KEY_hhold: Key to locate household

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]

#3 Rec_Id: Record type

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
08	Block -8 of schedule	68693	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 Sample: Sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Central sample	68693	100.0%
2	State sample	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block8-Family-planning-services-received-by-couple-records			
#5 Sector: Sector			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Rural	46582	67.8%
2	Urban	22111	32.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#6 Sub_sample: Sub-sample			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sub-sample-1	34340	50.0%
2	Sub-sample-2	34353	50.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#7 Sub_round: Sub-round			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Sub-round-1	17437	25.4%
2	Sub-round-2	17252	25.1%
3	Sub-round-3	16893	24.6%
4	Sub-round-4	17111	24.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#8 State: State			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
<i>Frequency table not shown (31 Modalities)</i>			
#9 Region: Region			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Region-1	22449	32.7%
2	Region-2	18769	27.3%
3	Region-3	13148	19.1%
4	Region-4	9936	14.5%
5	Region-5	2965	4.3%
6	Region-6	795	1.2%
7	Region-7	631	0.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#10 B1_q5: Sample Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		

File Block8-Family-planning-services-received-by-couple-records			
#11 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
#12 FSU_B1_q1: Srl.No. of Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
#13 B1_q8: Sample Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
#14 B8_q2_srlno: S.No. as in block-5			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Literal question	For female partner of age 15-49 years- S.No. as in block-5		
#15 B8_q3: Present age (Years)			
Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-] [Mean=30.366 /-] [StdDev=8.539 /-]		
Literal question	For female partner of age 15-49 years- present age		
#16 B8_q4: Age at effective marriage (years)			
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=68489 /-] [Invalid=204 /-] [Mean=17.298 /-] [StdDev=3.688 /-]		
Literal question	For female partner of age 15-49 years- Age at effective marriage		
#17 B8_q5: Number of surviving Male			
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-] [Mean=1.387 /-] [StdDev=1.778 /-]		
#18 B8_q6: Number of surviving Female			
Information	[Type= continuous] [Format=numeric] [Range= 0-80] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-] [Mean=1.215 /-] [StdDev=1.378 /-]		
#19 B8_q7: No. of years since last live birth (Years)			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=58591 /-] [Invalid=10102 /-] [Mean=5.397 /-] [StdDev=5.833 /-]		
#20 B8_q8: Whether sterilised			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	NR	24	0.0%
1	yes:vasectomy	3450	5.0%
2	tubectomyo	11176	16.3%
3	both	193	0.3%
4	No	53850	78.4%

File Block8-Family-planning-services-received-by-couple-records

#20 B8_q8: Whether sterilised

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 B8_q9: Since when sterilised(years)

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=15928 /-] [Invalid=52765 /-]

Literal question If code 1-3 in Q.8 no. of years since sterilised(years)

Value	Label	Cases	Percentage
0	0 years	2292	14.4%
1	1	1557	9.8%
2	2	1441	9.0%
3	3	1413	8.9%
4	4	1233	7.7%
5	5	1383	8.7%
6	6	933	5.9%
7	7	718	4.5%
8	8	862	5.4%
9	9 years and above	4096	25.7%
Sysmiss		52765	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B8_q10: Services received

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

Literal question If code 0 in Q.9 services received

Value	Label	Cases	Percentage
0	NA	67383	98.1%
1	From govt.agency with incentive of money/prize	769	1.1%
2	with no incentive but free	259	0.4%
3	on payment	84	0.1%
4	from other source free	93	0.1%
5	from other source on payment	70	0.1%
6	sought from govt.agency but not received	18	0.0%
7	sought from othr agency but not received	17	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B8_q11: At the time of sterilisation, Male children(Surviving)

Information [Type= continuous] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

#24 B8_q12: At the time of sterilisation,Female children(Surviving)

Information [Type= continuous] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

#25 B8_q13: Composition code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

File Block8-Family-planning-services-received-by-couple-records**#25 B8_q13: Composition code**

Value	Label	Cases	Percentage
1	Couple having two or less surviving children	2897	4.2%
2	Couple having more than two surviving children:all females	0	0.0%
3	Couple having more than two surviving children:all males	0	0.0%
4	Couple having more than two surviving children:one male and others females	2408	3.5%
5	Couple having more than two surviving children:one female and others males	3941	5.7%
6	Any other combination	5736	8.4%
7	Having no surviving child	53711	78.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 B8_q14: Services Recvd :IUD

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=65870 /-] [Invalid=0 /-]

Pre-question If code-4 in Q.8 Ask Q.14-20 else skip

Value	Label	Cases	Percentage
0	NA	50659	76.9%
1	From govt.agency with incentive of money/prize	91	0.1%
2	with no incentive but free	265	0.4%
3	on payment	90	0.1%
4	from other source free	106	0.2%
5	from other source on payment	308	0.5%
6	sought from govt.agency but not received	1178	1.8%
7	sought from othr agency but not received	1198	1.8%
9	NR	11975	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 B8_q15: Services Recvd :Oral Pills

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=65872 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NA	50302	76.4%
1	From govt.agency with incentive of money/prize	44	0.1%
2	with no incentive but free	208	0.3%
3	on payment	290	0.4%
4	from other source free	124	0.2%
5	from other source on payment	539	0.8%
6	sought from govt.agency but not received	1151	1.7%
7	sought from othr agency but not received	1228	1.9%
9	NR	11986	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 B8_q16: Services Recvd :Nirodh

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=65874 /-] [Invalid=0 /-]

File Block8-Family-planning-services-received-by-couple-records**#28 B8_q16: Services Recvd :Nirodh**

Value	Label	Cases	Percentage
0	NA	47865	72.7%
1	From govt.agency with incentive of money/prize	103	0.2%
2	with no incentive but free	358	0.5%
3	on payment	1303	2.0%
4	from other source free	280	0.4%
5	from other source on payment	1633	2.5%
6	sought from govt.agency but not received	1133	1.7%
7	sought from othr agency but not received	1212	1.8%
9	NR	11987	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 B8_q17: Services Recvd :Diaghragm

Value	Label	Cases	Percentage
0	NA	51129	77.6%
1	From govt.agency with incentive of money/prize	9	0.0%
2	with no incentive but free	84	0.1%
3	on payment	20	0.0%
4	from other source free	59	0.1%
5	from other source on payment	216	0.3%
6	sought from govt.agency but not received	1162	1.8%
7	sought from othr agency but not received	1206	1.8%
9	NR	11986	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 B8_q18: Services Recvd :Spermicide (Jelly etc.)

Value	Label	Cases	Percentage
0	NA	51160	77.7%
1	From govt.agency with incentive of money/prize	7	0.0%
2	with no incentive but free	72	0.1%
3	on payment	16	0.0%
4	from other source free	58	0.1%
5	from other source on payment	205	0.3%
6	sought from govt.agency but not received	1163	1.8%
7	sought from othr agency but not received	1204	1.8%
9	NR	11985	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 B8_q19: Services Recvd :MTP

Value	Label	Cases	Percentage
0	NA	51160	77.7%
1	From govt.agency with incentive of money/prize	7	0.0%
2	with no incentive but free	72	0.1%
3	on payment	16	0.0%
4	from other source free	58	0.1%
5	from other source on payment	205	0.3%
6	sought from govt.agency but not received	1163	1.8%
7	sought from othr agency but not received	1204	1.8%
9	NR	11985	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block8-Family-planning-services-received-by-couple-records

#31 B8_q19: Services Recvd :MTP

Value	Label	Cases	Percentage
0	NA	51170	77.7%
1	From govt.agency with incentive of money/prize	9	0.0%
2	with no incentive but free	79	0.1%
3	on payment	18	0.0%
4	from other source free	58	0.1%
5	from other source on payment	201	0.3%
6	sought from govt.agency but not received	1152	1.7%
7	sought from othr agency but not received	1201	1.8%
9	NR	11984	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 B8_q20: Services Recvd :Injection

Value	Label	Cases	Percentage
0	NA	51076	77.5%
1	From govt.agency with incentive of money/prize	16	0.0%
2	with no incentive but free	87	0.1%
3	on payment	29	0.0%
4	from other source free	71	0.1%
5	from other source on payment	232	0.4%
6	sought from govt.agency but not received	1190	1.8%
7	sought from othr agency but not received	1202	1.8%
9	NR	11971	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 B8_q21: Whether currently practicing

Value	Label	Cases	Percentage
0	NR	1104	1.6%
1	Practising IUD with insertion made prior to 365 days	617	0.9%
2	Practising IUD with insertion made within last 365 days	363	0.5%
3	Practising methods of douche,rhythm,withdrawal,abstinence	1969	2.9%
4	Practising other methods	4528	6.6%
5	Not practising	41254	60.5%
6	Does not arise	18341	26.9%
9	Invalid	56	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 B8_q22: If not practicing whether ever practised

Value	Label	Cases	Percentage
0	NR	1104	1.6%
1	Practising IUD with insertion made prior to 365 days	617	0.9%
2	Practising IUD with insertion made within last 365 days	363	0.5%
3	Practising methods of douche,rhythm,withdrawal,abstinence	1969	2.9%
4	Practising other methods	4528	6.6%
5	Not practising	41254	60.5%
6	Does not arise	18341	26.9%
9	Invalid	56	0.1%

Information	[Type= discrete] [Format=character] [Missing=*
Statistics [NW/ W]	[Valid=59589 /-] [Invalid=0 /-]

File Block8-Family-planning-services-received-by-couple-records

#34 B8_q22: If not practicing whether ever practised

Value	Label	Cases	Percentage
0	NA	1109	1.9%
1	Yes	6726	11.3%
2	No	51617	86.6%
9	Invalid	137	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 B8_q23: Whether received at any time advice on F.P.

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=66605 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NA	1110	1.7%
1	Not received	34900	52.4%
2	Received from family welfare centre`	11934	17.9%
3	Received from a doctor of PHC/public dispensary free	5126	7.7%
4	Received from a doctor of PHC/public dispensary paying fee	159	0.2%
5	Received from a private doctor free	1110	1.7%
6	Received from a private doctor paying fee	367	0.6%
7	Received from women organisation cadre/Gram sevikas	1195	1.8%
8	Received from any other source	5520	8.3%
9	Others	5184	7.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Wgt_ss: Multiplier (Sub-sample)

Information [Type= continuous] [Format=numeric] [Range= 17.68-191839.9] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-] [Mean=3915.275 /-] [StdDev=3474.47 /-]

#37 Wgt_combined: Multiplier (Combined)

Information [Type= continuous] [Format=numeric] [Range= 8.84-95919.95] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-] [Mean=1958.201 /-] [StdDev=1738.326 /-]

#38 FG_AI_Comb: Fractile Groups:All-India (Combined)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		68515	99.7%
21		178	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 FG_AI_ss: Fractile Groups:All-India (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		68515	99.7%

File Block8-Family-planning-services-received-by-couple-records			
#39 FG_AI_ss: Fractile Groups:All-India (Sub-sample)			
Value	Label	Cases	Percentage
21		178	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#40 FG_st_Comb: Fractile Groups:State (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of block-1		
Value	Label	Cases	Percentage
01		4043	5.9%
02		4135	6.0%
03		4126	6.0%
04		3724	5.4%
05		4018	5.8%
06		3973	5.8%
07		3793	5.5%
08		3793	5.5%
09		3682	5.4%
10		3545	5.2%
11		3438	5.0%
12		3450	5.0%
13		3359	4.9%
14		3291	4.8%
15		3195	4.7%
16		3103	4.5%
17		2945	4.3%
18		2664	3.9%
19		2354	3.4%
20		1884	2.7%
21		178	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#41 FG_st_ss: Fractile Groups:State (Sub-sample)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of block-1		
Value	Label	Cases	Percentage
01		4077	5.9%
02		4117	6.0%
03		4072	5.9%
04		3830	5.6%
05		3948	5.7%
06		4013	5.8%
07		3823	5.6%
08		3736	5.4%

File Block8-Family-planning-services-received-by-couple-records

#41 FG_st_ss: Fractile Groups:State (Sub-sample)

Value	Label	Cases	Percentage
09		3628	5.3%
10		3552	5.2%
11		3537	5.1%
12		3360	4.9%
13		3438	5.0%
14		3290	4.8%
15		3163	4.6%
16		3065	4.5%
17		2931	4.3%
18		2611	3.8%
19		2438	3.5%
20		1886	2.7%
21		178	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 FG_sizeclass_twn: Fractile Groups:Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
00		46466	67.6%
01		1173	1.7%
02		1283	1.9%
03		1300	1.9%
04		1202	1.7%
05		1219	1.8%
06		1275	1.9%
07		1292	1.9%
08		1218	1.8%
09		1214	1.8%
10		1165	1.7%
11		1089	1.6%
12		1154	1.7%
13		1160	1.7%
14		1039	1.5%
15		965	1.4%
16		1083	1.6%
17		883	1.3%
18		892	1.3%
19		792	1.2%
20		651	0.9%
21		178	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block8-Family-planning-services-received-by-couple-records

#43 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
00		46466	67.6%
01		1204	1.8%
02		1265	1.8%
03		1243	1.8%
04		1305	1.9%
05		1200	1.7%
06		1234	1.8%
07		1255	1.8%
08		1254	1.8%
09		1223	1.8%
10		1150	1.7%
11		1193	1.7%
12		1111	1.6%
13		1095	1.6%
14		1008	1.5%
15		1070	1.6%
16		993	1.4%
17		892	1.3%
18		860	1.3%
19		814	1.2%
20		680	1.0%
21		178	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 Sizeclass_twn: Size class of town

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=22111 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

Value	Label	Cases	Percentage
1		8196	37.1%
2		5409	24.5%
3		5088	23.0%
4		3418	15.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 S_grup: Social Group

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=68693 /-] [Invalid=0 /-]

Recoding and Derivation See data set of block-1

File Block8-Family-planning-services-received-by-couple-records

#45 S_grup: Social Group

Value	Label	Cases	Percentage
1		7224	10.5%
2		10650	15.5%
3		229	0.3%
8		249	0.4%
9		50341	73.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 E_grup: Economic Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
01		8568	12.5%
02		8189	11.9%
03		13531	19.7%
04		3083	4.5%
05		13787	20.1%
06		3076	4.5%
07		7525	11.0%
08		4442	6.5%
09		4255	6.2%
10		407	0.6%
11		1830	2.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 Adult_edu_fem: Adult education for female

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=68693 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of block-1

Value	Label	Cases	Percentage
1		37632	54.8%
2		4445	6.5%
3		17020	24.8%
4		9123	13.3%
6		473	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block9-Death-persons-records
















#1 Key_deathNo: Key to locate person

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]

#2 Key_hhold: Key to locate household

Information	[Type= discrete] [Format=character] [Missing=*]
-------------	---

File Block9-Death-persons-records			
#2 Key_hhold: Key to locate household			
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
#3 Rec_Id: Record type			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
09	Block -9 of schedule	2306	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#4 Sample: Sample			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Central sample	2306	100.0%
2	State sample	0	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#5 Sector: Sector			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Rural	1724	74.8%
2	Urban	582	25.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#6 Sub_sample: Sub-sample			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Sub-sample-1	1176	51.0%
2	Sub-sample-2	1130	49.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#7 Sub_round: Sub-round			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Sub-round-1	699	30.3%
2	Sub-round-2	586	25.4%
3	Sub-round-3	515	22.3%
4	Sub-round-4	506	21.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#8 State: State			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	

File Block9-Death-persons-records			
#8 State: State			
<i>Frequency table not shown (31 Modalities)</i>			
#9 Region: Region			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Region-1	679	 29.4%
2	Region-2	650	 28.2%
3	Region-3	435	 18.9%
4	Region-4	387	 16.8%
5	Region-5	91	 3.9%
6	Region-6	36	 1.6%
7	Region-7	28	 1.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#10 B1_q5: Sample Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
#11 Stratum: Stratum			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
#12 FSU_B1_q1: Srl.No. of Village/Block			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
#13 B1_q8: Sample Household			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
#14 D_Slno: Serial no. of death			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
#15 B9_q2: Relation to head			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	head	6	 0.3%
2	Spouse of head	364	 15.8%
3	Married child	43	 1.9%
4	Spouse of married child	38	 1.6%
5	Unmarried child	717	 31.1%
6	Grand child	224	 9.7%
7	Father/mother/father-in-law/mother-in-law	726	 31.5%
8	Brother/sister/brother-in-law/sister-in-law/other relatives	179	 7.8%

File Block9-Death-persons-records

#15 B9_q2: Relation to head

Value	Label	Cases	Percentage
9	Servant/Employee/other non-relatives	9	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 B9_q3: Sex

Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Male	1235	53.6%
2	Female	1071	46.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 B9_q4: Age at death (Years)

Information		[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=2298 /-] [Invalid=8 /-] [Mean=36.175 /-] [StdDev=32.143 /-]	

#18 B9_q5: Age if less than one year (Weeks)

Information		[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]	
Statistics [NW/ W]		[Valid=495 /-] [Invalid=1811 /-] [Mean=9.838 /-] [StdDev=13.22 /-]	

#19 B9_q6: Whether hospitalised

Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	NR	7	0.3%
1	Yes	675	29.3%
2	No	1624	70.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 B9_q7: Treatment before death?

Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2306 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	1489	64.6%
2	No	817	35.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 B9_q8: Source of treatment

Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1497 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Public hospital	527	35.2%
2	Primar health centre	66	4.4%
3	Public dispensary	27	1.8%
4	Private hospital	192	12.8%
5	Nursing home	19	1.3%

File Block9-Death-persons-records

#21 B9_q8: Source of treatment

Value	Label	Cases	Percentage
6	Charitable institution run by public trust	6	0.4%
7	ESI, doctor, AMA etc	7	0.5%
8	Private	595	39.7%
9	NR	58	3.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 B9_q9: System of medicine

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1495 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Allopathic	1420	95.0%
2	Homeopathic	17	1.1%
3	Ayurvedic	21	1.4%
4	unani/hakim	11	0.7%
5	any combination of codes 1 to 4	4	0.3%
9	others	22	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 B9_q10: Not recvd treatment-reason

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=820 /-] [Invalid=0 /-]
Literal question	If code-2 in Q.7, reason (code)

Value	Label	Cases	Percentage
0	NA	36	4.4%
1	No medical facilities available in the neighbourhood	97	11.8%
2	Lack of faith in the system of medicine	45	5.5%
3	Long waiting	16	2.0%
4	Financial reasons	91	11.1%
5	Ailment not considered serious	173	21.1%
9	Other reasons	362	44.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 B9_q11: Place of death

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NR	11	0.5%
1	Within Village/town : House	1721	74.6%
2	Within Village/town : Hospital	233	10.1%
3	Within Village/town : other place	43	1.9%
4	Outside Village/town : house	144	6.2%
5	Outside Village/town : hospital	84	3.6%
6	Outside Village/town : other place	70	3.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Block9-Death-persons-records			
#25 Wgt_ss: Multiplier (Sub-sample)			
Information	[Type= continuous] [Format=numeric] [Range= 30.88-191839.9] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-] [Mean=4329.235 /-] [StdDev=5372.576 /-]		
#26 Wgt_combined: Multiplier (Combined)			
Information	[Type= continuous] [Format=numeric] [Range= 15.44-95919.95] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-] [Mean=2166.915 /-] [StdDev=2687.765 /-]		
#27 FG_AI_Comb: Fractile Groups:All-India (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		2294	99.5%
21		12	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#28 FG_AI_ss: Fractile Groups:All-India (Sub-sample)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
00		2294	99.5%
21		12	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#29 FG_st_Comb: Fractile Groups:State (Combined)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]		
Recoding and Derivation	See data set of Block-1		
Value	Label	Cases	Percentage
01		134	5.8%
02		128	5.6%
03		143	6.2%
04		128	5.6%
05		139	6.0%
06		134	5.8%
07		120	5.2%
08		121	5.2%
09		105	4.6%
10		123	5.3%
11		125	5.4%
12		113	4.9%
13		80	3.5%
14		119	5.2%
15		88	3.8%

File Block9-Death-persons-records**#29 FG_st_Comb: Fractile Groups:State (Combined)**

Value	Label	Cases	Percentage
16		110	4.8%
17		111	4.8%
18		83	3.6%
19		98	4.2%
20		92	4.0%
21		12	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 FG_st_ss: Fractile Groups:State (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
01		131	5.7%
02		133	5.8%
03		143	6.2%
04		136	5.9%
05		135	5.9%
06		127	5.5%
07		119	5.2%
08		120	5.2%
09		99	4.3%
10		134	5.8%
11		127	5.5%
12		97	4.2%
13		93	4.0%
14		108	4.7%
15		116	5.0%
16		88	3.8%
17		111	4.8%
18		86	3.7%
19		99	4.3%
20		92	4.0%
21		12	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 FG_sizeclass_twn: Fractile Groups:Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
00		1718	74.5%
01		34	1.5%
02		34	1.5%

File Block9-Death-persons-records

#31 FG_sizeclass_twn: Fractile Groups:Size class of town

Value	Label	Cases	Percentage
03		39	1.7%
04		45	2.0%
05		38	1.6%
06		45	2.0%
07		28	1.2%
08		30	1.3%
09		25	1.1%
10		31	1.3%
11		25	1.1%
12		20	0.9%
13		26	1.1%
14		26	1.1%
15		20	0.9%
16		34	1.5%
17		21	0.9%
18		16	0.7%
19		16	0.7%
20		23	1.0%
21		12	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
00		1718	74.5%
01		34	1.5%
02		39	1.7%
03		33	1.4%
04		52	2.3%
05		37	1.6%
06		37	1.6%
07		36	1.6%
08		31	1.3%
09		23	1.0%
10		30	1.3%
11		22	1.0%
12		17	0.7%
13		26	1.1%
14		29	1.3%
15		25	1.1%
16		24	1.0%
17		28	1.2%

File Block9-Death-persons-records

#32 FG_sizeclass_ss: Fractile Groups:Size class (Sub-sample)

Value	Label	Cases	Percentage
18		14	0.6%
19		13	0.6%
20		26	1.1%
21		12	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 Sizeclass_twn: Size class of town

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=582 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		234	40.2%
2		134	23.0%
3		140	24.1%
4		74	12.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 S_grup: Social Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		260	11.3%
2		423	18.3%
3		8	0.3%
8		7	0.3%
9		1608	69.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 E_grup: Economic Group

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
01		347	15.0%
02		291	12.6%
03		441	19.1%
04		99	4.3%
05		446	19.3%
06		83	3.6%
07		251	10.9%
08		111	4.8%
09		126	5.5%
10		12	0.5%

File Block9-Death-persons-records

#35 E_grup: Economic Group

Value	Label	Cases	Percentage
11		99	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 Adult_edu_fem: Adult education for female

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2306 /-] [Invalid=0 /-]
Recoding and Derivation	See data set of Block-1

Value	Label	Cases	Percentage
1		1371	59.5%
2		144	6.2%
3		464	20.1%
4		211	9.2%
5		104	4.5%
6		12	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents	113
IHSN study report: NSS 42nd Round schedule 25.1-Maternity,Child care,Family planning and utilisation of public distribution system	113
Questionnaires	113
Schedule 25.1- Maternity,Child Care,Family Planning and Utilisation of Public Distribution System	113

Reports and analytical documents

IHSN study report: NSS 42nd Round schedule 25.1-Maternity,Child care,Family planning and utilisation of public distribution system, English [eng], "Documents\IHSN Study Report-NSS42R-Schedule 25.1.pdf"

Questionnaires

Schedule 25.1- Maternity,Child Care,Family Planning and Utilisation of Public Distribution System, NSSO, India [ind], English [eng], "Documents\Schedule_42_25.1.pdf"